



**Material Safety Data Sheet**

**DOMAIN™ DF HERBICIDE**

MSDS Number: 102000007688

MSDS Version 2.0

Revision Date: 03/17/2006

**SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION**

**Product Name** DOMAIN™ DF HERBICIDE  
**MSDS Number** 102000007688  
**EPA Registration No.** 264-771  
**Product Use** For control of certain grass and dicot weeds in soybeans.

Bayer CropScience  
 2 T.W. Alexander Drive  
 Research Triangle PK, NC 27709  
 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)  
 For Product Information call: 1-866-99BAYER (1-866-992-2937)

**SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Flufenacet	142459-58-3	24.00
Metribuzin	21087-64-9	36.00
Quartz (Silica, Crystalline)	14808-60-7	0.15

**SECTION 3. HAZARDS IDENTIFICATION**

*NOTE: Please refer to Section 11 for detailed toxicological information.*

**Emergency Overview** Caution! Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes and clothing.

**Physical State** granular solid  
**Odor** Disinfectant-like  
**Appearance** tan  
**Routes of Exposure** Eye contact, Skin contact, Skin Absorption, Ingestion  
**Immediate Effects**  
**Eye** Moderate eye irritation. Avoid contact with eyes.  
**Skin** Avoid contact with skin. Harmful if absorbed through skin.



**Material Safety Data Sheet**

MSDS Number: 102000007688  
MSDS Version 2.0

**DOMAIN™ DF HERBICIDE**

<b>Ingestion</b>	Do not take internally. Harmful if swallowed.
<b>Chronic or Delayed Long-Term</b>	<p>This product is not listed as a carcinogen by ACGIH, NTP, IARC or OSHA. However, it may contain crystalline silica (quartz), a substance which has been listed as a carcinogen by ACGIH, NTP and IARC. Crystalline silica is a naturally-occurring mineral component of many sands and clays. Although the carcinogenic potential of crystalline silica in humans is controversial, it must be considered if it is inhaled under excessive exposure conditions. The respirable portion of the silica that may be contained in this product, however, is small, such that inhalation exposure during anticipated conditions of use is minimal.</p> <p>This product or its components may have target organ effects.</p>
<b>Medical Conditions Aggravated by Exposure</b>	No specific medical conditions are known which may be aggravated by exposure to this product. As with all materials which can cause upper respiratory tract irritation, persons with a history of asthma, emphysema, or hyperreactive airways disease may be more susceptible to overexposure. Pulmonary and respiratory diseases may be aggravated by exposure to respirable crystalline silica.

**SECTION 4. FIRST AID MEASURES**

<b>General</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Eye</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Skin</b>	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small gulps to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Notes to Physician Treatment</b>	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.



**Material Safety Data Sheet**

**DOMAIN™ DF HERBICIDE**

MSDS Number: 102000007688  
MSDS Version 2.0

**SECTION 5. FIRE FIGHTING MEASURES**

<b>Flash Point</b>	not applicable
<b>Suitable Extinguishing Media</b>	water, carbon dioxide (CO2), dry chemical, foam
<b>Fire Fighting Instructions</b>	<p>Keep out of smoke. Fight fire from upwind position. Equipment or materials involved in pesticide fires may become contaminated. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.</p> <p>In the event of fire, wear self-contained breathing apparatus.</p>

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

<b>Personal Precautions</b>	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.
<b>Methods for Cleaning Up</b>	Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.
<b>Additional Advice</b>	Use personal protective equipment. Do not allow product to enter streams, sewers or other waterways. Do not allow product to contact vegetation.

**SECTION 7. HANDLING AND STORAGE**

<b>Handling Procedures</b>	Handle and open container in a manner as to prevent spillage.
<b>Storing Procedures</b>	<p>Do not contaminate water, food, or feed by storage or disposal.</p> <p>Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.</p>
<b>Work/Hygienic Procedures</b>	<p>Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.</p> <p>Take off contaminated clothing and shoes immediately. Then wash thoroughly and put on clean clothing.</p> <p>Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. As soon as practical, wash thoroughly and change into clean clothing.</p>
<b>Min/Max Storage</b>	Do not transport or store below -18 °C / -0 °F



**Material Safety Data Sheet**

**DOMAIN™ DF HERBICIDE**

MSDS Number: 102000007688  
MSDS Version 2.0

**Temperatures** Do not transport or store above 38 °C / 100 °F

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**General Protection** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

Follow all label instructions. Train employees in safe use of the product.

**Engineering Controls** Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

**Eye/Face Protection** safety glasses

**Hand Protection** Chemical resistant nitrile rubber gloves

**Body Protection** Wear long-sleeved shirt and long pants and shoes plus socks.

**Respiratory Protection** When respiratory protection is necessary under the conditions of use, wear a respirator approved by the National Institute for Occupational Safety and Health (NIOSH).

**Exposure Limits**

Metribuzin	21087-64-9	ACGIH	TWA	5 mg/m3
		NIOSH	REL	5 mg/m3
		OSHA Z1A	TWA	5 mg/m3
		US CA OEL	TWA PEL	5 mg/m3
Quartz (Silica, Crystalline)	14808-60-7	ACGIH	TWA	0.05 mg/m3
		Form of Exposure		Respirable fraction.
		ACGIH NIC	TWA	0.025 mg/m3
		Form of Exposure		Respirable fraction.
		NIOSH	REL	0.05 mg/m3
		Form of Exposure		Respirable dust.
		OSHA Z1A	TWA	0.1 mg/m3
		Form of Exposure		Respirable dust.
		Z3	TWA	2.4 millions of particles per cubic foot of air
		Form of Exposure		Respirable.
		Remarks		The value is calculated from a specified equation using a value of 100%. Lower values of % will give higher exposure limits. See regulation for specific equation.
		Z3	TWA	0.1 mg/m3
		Form of Exposure		Respirable.





**Material Safety Data Sheet**

**DOMAIN™ DF HERBICIDE**

MSDS Number: 102000007688  
MSDS Version 2.0

**SECTION 11. TOXICOLOGICAL INFORMATION**

Only acute toxicity studies have been performed on this product as formulated. The non-acute information pertains to the technical-grade active ingredients, flufenacet and metribuzin.

**Acute Oral Toxicity** male rat: LD50: 1,920 mg/kg

female rat: LD50: 1,830 mg/kg

**Acute Dermal Toxicity** male/female rat: LD50: > 2,000 mg/kg

**Acute Inhalation Toxicity** male/female rat: LC50: > 2.7 mg/l  
Exposure time: 4 h  
Determined in the form of dust.  
(actual)

male/female rat: LC50: > 10.8 mg/l  
Exposure time: 1 h  
Determined in the form of dust.  
Extrapolated from the 4 hr LC50.  
(actual)

**Skin Irritation** rabbit: No skin irritation.

**Eye Irritation** rabbit: Moderate eye irritation.

**Sensitization** guinea pig: Non-sensitizing.

**Chronic Toxicity** Flufenacet caused liver, kidney, thyroid, eye, and/or brain effects in chronic dietary studies in rats and dogs. In addition, neurological effects were observed in dogs.

Metribuzin caused liver, kidney, thyroid and/or testicular effects in chronic dietary studies in rats and dogs. In addition, anemia was observed in dogs.

**Assessment Carcinogenicity**

Flufenacet and metribuzin were not carcinogenic in oncogenicity studies in rats and mice.

**ACGIH**

Metribuzin	21087-64-9	Group A4
Quartz (Silica, Crystalline)	14808-60-7	Group A2

**NTP**

Quartz (Silica, Crystalline)	14808-60-7
------------------------------	------------

**IARC**

Quartz (Silica, Crystalline)	14808-60-7	Overall evaluation: 1
------------------------------	------------	-----------------------

**OSHA**

None.

**Reproductive & REPRODUCTION:**



## Material Safety Data Sheet

MSDS Number: 102000007688

### DOMAIN™ DF HERBICIDE

MSDS Version 2.0

<b>Developmental Toxicity</b>	<p>Flufenacet was not a reproductive toxicant in a multi-generation study in rats.</p> <p>Metribuzin produced no evidence of reproductive toxicity in a 2-generation reproductive study in rats. Offspring at the highest dose exhibited reduced body weight gains starting at Day-14 lactation, an age correlating with the consumption of treated diets.</p> <p>DEVELOPMENTAL TOXICITY: Flufenacet and metribuzin were not primary developmental toxicants in laboratory animals. Developmental effects were observed only at doses that caused maternal toxicity.</p>
<b>Neurotoxicity</b>	<p>Flufenacet caused neurobehavioral effects and/or neuropathological changes in acute and subchronic neurotoxicity screening studies in rats. In a developmental neurotoxicity study in rats, flufenacet did not cause any specific neurobehavioral effects in the offspring.</p> <p>Metribuzin has been tested in acute and subchronic neurotoxicity screening studies in rats. Transient neurobehavioral effects (e.g., decreased motor activity) were observed in the acute study. Neuropathological changes were not observed in either study.</p>
<b>Mutagenicity</b>	<p>Flufenacet was not genotoxic in a battery of in vitro and in vivo tests. The overall weight of evidence indicates metribuzin is not genotoxic based on a battery of in vitro and in vivo tests.</p>

## SECTION 12. ECOLOGICAL INFORMATION

<b>Environmental Precautions</b>	<p>Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor runoff or drift. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.</p> <p>Do not allow sprays to drift onto adjacent desirable plants. Apply this product only as specified on the label.</p>
----------------------------------	--



**Material Safety Data Sheet**

**DOMAIN™ DF HERBICIDE**

MSDS Number: 102000007688  
MSDS Version 2.0

**SECTION 13. DISPOSAL CONSIDERATIONS**

**General Disposal Guidance** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal** Triple rinse containers. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

**SECTION 14. TRANSPORT INFORMATION**

**DOT CLASSIFICATION:**  
Not regulated for transportation

**FREIGHT CLASSIFICATION:**  
Compounds, Tree or Weedkilling, N.O.I., other than poison, having a density of 20 LBS or greater per cubic foot

**SECTION 15. REGULATORY INFORMATION**

**EPA Registration No.** 264-771

**US Federal Regulations**

**TSCA list**

Quartz (Silica, Crystalline) 14808-60-7

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

None.

**SARA Title III - Section 302 - Notification and Information**

None.

**SARA Title III - Section 313 - Toxic Chemical Release Reporting**

Metribuzin 21087-64-9 1.0%

**US States Regulatory Reporting**

**CA Prop65**

This product contains a chemical known to the State of California to cause cancer.

Quartz (Silica, Crystalline) 14808-60-7

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients**

Metribuzin 21087-64-9 IL, MN, NJ, RI  
Quartz (Silica, Crystalline) 14808-60-7 IL, MA, MN, RI

**Canadian Regulations**

**Canadian Domestic Substance List**

Quartz (Silica, Crystalline) 14808-60-7



**Material Safety Data Sheet**

**DOMAIN™ DF HERBICIDE**

MSDS Number: 102000007688  
MSDS Version 2.0

**Environmental**

**CERCLA**

None.

**Clean Water Section 307 Priority Pollutants**

None.

**Safe Drinking Water Act Maximum Contaminant Levels**

None.

**International Regulations**

**European Inventory of Existing Commercial Substances (EINECS)**

Metribuzin	21087-64-9
Quartz (Silica, Crystalline)	14808-60-7

---

**SECTION 16. OTHER INFORMATION**

---

NFPA 704 (National Fire Protection Association):

Health - 1      Flammability - 0      Reactivity - 1      Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Update Section 11, Toxicology.

Revision Date: 03/17/2006

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.