

ENCOMPASS Herbicide

PLUS BOUNDARY[®], DOMAIN[®] DF, ALACHLOR, S-METOLACHLOR, DIMETHENAMID, OR FLUFENACET HERBICIDES FOR EARLY PREPLANT APPLICATIONS AT 14 DAYS OR GREATER FOR RESIDUAL CONTROL OF CERTAIN WEEDS IN NO-TILLAGE AND REDUCED-TILLAGE SOYBEANS
 EPA Reg. Nos. 59639-99-55467, 264-7711 & 100-958
 FIFRA SECTION 2(ee) RECOMMENDATION

DIRECTIONS FOR USE

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

ENCOMPASS HERBICIDE PLUS BOUNDARY, DOMAIN, ALACHLOR, S-METOLACHLOR, DIMETHENAMID-P, OR FLUFENACET HERBICIDES FOR EARLY PREPLANT APPLICATIONS AT 14 DAYS OR GREATER FOR RESIDUAL CONTROL OF CERTAIN WEEDS IN NO-TILLAGE AND REDUCED-TILLAGE SOYBEANS

Weeds Controlled	Organic Matter	Soil Type	Rates
Lambsquarters, Common Nightshades Black Eastern Black Pigweeds Redroot Smooth Spiny Amaranth Tumble Velvetleaf ¹ Waterhemp ² Common Tall	Up to 5%	All Soil Types	<p style="text-align: center;"><i>Encompass</i> at 1.5 to 3 oz./A</p> <p style="text-align: center;">Plus</p> Boundary 7.8 EC at 0.5 to 2 pt./A or Boundary 6.5 EC at 0.6 to 2.4 pt./A <p style="text-align: center;">or</p> Domain 60 DF at 6 to 16 oz./A <p style="text-align: center;">or</p> alachlor at 1 to 2 lb. a.i./A <p style="text-align: center;">or</p> s-metolachlor at 0.5 to 2 lb. a.i./A <p style="text-align: center;">or</p> dimethenamid-P at 0.25 to 0.6 lb. a.i./A <p style="text-align: center;">or</p> flufenacet at 0.15 to 0.45 lb. a.i./A
<p>APPLICATION METHOD: These early-preplant applications may be surface applied or incorporated lightly at a 2 inch depth or less, with incorporation equipment that just removes the tire tracks of the tillage equipment.</p> <p>NOTE: Incorporating these tank mixes may reduce the control of weeds listed above. NOTE: Refer to Boundary 7.8 EC, Boundary 6.5 EC,alachlor, s-metolachlor, dimethenamid-P and flufenacet labels for other weeds controlled.</p>			

¹A postemergence herbicide, such as Resource[®], or glyphosate plus *Resource* (Roundup Ready[®] soybeans only) may be needed to adequately control velvetleaf.

²A postemergence herbicide, such as Cobra[®], Phoenix[™] or glyphosate (Roundup Ready soybeans only) may be needed to adequately control waterhemp.

1. Always read and follow all label directions when using any pesticide alone or in tank mix combinations. The most restrictive labeling applies when using a tank mix.
2. Do not graze animals on green forage or stubble. Do not utilize hay or straw for animal feed or bedding.

Follow all applicable directions, restrictions and precautions on the EPA-registered labels.

It is a violation of Federal Law to use these products in a manner inconsistent with its labeling.

THIS RECOMMENDATION EXPIRES DECEMBER 31, 2006

Encompass – TM of Tenkoz Inc.
Cobra, Resource -- Reg. TM of Valent U.S.A. Corporation
Phoenix -- TM of Valent U.S.A. Corporation
Boundary -- Reg. TM of Syngenta Crop Protection Inc.
Domain -- Reg. TM of Bayer Crop Science Inc.
Roundup Ready -- Reg. TM of Monsanto Company