

**24C SPECIAL LOCAL NEEDS LABEL FOR DISTRIBUTION AND USE ONLY IN MINNESOTA  
FOR SUPPRESSION OF GIANT BURREED IN CULTIVATED WILD RICE**



All applicable directions, restrictions, and precautions on the registered product label for Aim EW (EPA Reg. No. 279-3242) must be followed

**For Agricultural or Commercial Use Only**

**EPA SLN No. – MN-030002**

<b>Active Ingredient:</b>	<b>By Wt.</b>
Carfentrazone-ethyl: Ethyl $\alpha$ ,2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoate .....	21.3%
<b>Inert Ingredients:</b> .....	78.7%
.....	100.0%

This product contains 1.9 pounds active ingredient per gallon

Contains Petroleum Distillates

U.S. Patent No. 5,125,958

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**FIRST AID**

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**HOTLINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-331-3148 for emergency medical treatment information.

**Note to Physician:** Carfentrazone-ethyl EW is expected to have low oral and dermal toxicity, and moderate inhalation toxicity. It is expected to be slightly irritating to the skin and minimally irritating to the eyes. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care. This product may pose an aspiration pneumonia hazard.

**See other panels for additional precautionary information.**



FMC Corporation  
Agricultural Products Group  
Philadelphia, PA 19103  
AimEW\_24c\_wldrice\_MN\_3-13-2003

**PRECAUTIONARY STATEMENTS  
Hazards to Humans (and Domestic Animals)**

**Caution**

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

**Personal Protective Equipment (PPE)**

Applicators and other handlers must wear: long-sleeved shirt and long pants, waterproof gloves, and shoes plus socks.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**User Safety Recommendations:**

Users should:

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

**ENVIRONMENTAL HAZARDS**

Carfentrazone-ethyl is very toxic to algae and moderately toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the high water mark, except as specified on this label. Do not contaminate water when disposing of equipment wash waters.

**PHYSICAL /CHEMICAL HAZARDS**

**FLAMMABLE**

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, waterproof gloves, and shoes plus socks.

## STORAGE AND DISPOSAL

### Pesticide Storage

Not for use or storage in or around the house.

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put granule or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by inappropriate storage or disposal.

In case of spill, avoid contact, isolate area and keep out unprotected persons and animals. Confine spills. Call FMC: (800) 331-3148.

To confine spill: Dike surrounding area, sweep up spillage. Dispose of in accordance with information given under Pesticide Disposal. Wash spill area with water, absorb with sand, cat litter or commercial clay, sweep up and dispose of in an approved manner. Place damaged container in a larger holding container. Identify contents per required hazardous waste labeling regulations.

### Pesticide Disposal

Waste resulting from the use of this product may be disposed of at an approved waste disposal facility.

### Container Disposal

Triple rinse (or equivalent). Then offer for approved pesticide container recycling program, or puncture and dispose of in an approved waste disposal facility. Provided on site incineration is allowed by state and local authorities, stay out of smoke.

### Spray Equipment Clean-Out:

**After spraying Aim EW and before using sprayer equipment for any other applications, the sprayer must be thoroughly cleaned using the following procedure. In addition, users must take appropriate steps to ensure proper equipment clean-out for any other products mixed with Aim EW herbicides as required on the other product labels.**

1. Drain sprayer tank, hoses, and spray boom. Use a high pressure wash to remove physical sediment and residues from the inside of the sprayer tank and thoroughly rinse. Then thoroughly flush sprayer hoses, boom and nozzles with clean water.
2. Fill the tank 1/2 full with clean water, and add appropriate tank cleaner (follow manufacturer's directions for use). Fill the tank to capacity and operate the sprayer for 15 minutes to flush hoses, boom and nozzles.
3. Drain the sprayer system. Rinse the tank with clean water and flush through the hoses, boom, and nozzles. Remove and clean spray tips and screens separately.
4. Properly dispose of all cleaning solution and rinsate in accordance with Federal, State, and local regulations and guidelines.

## APPLICATION INSTRUCTIONS

CROP	PEST	RATE
Cultivated Wild Rice	Giant Burreed ( <i>Sparganium eurycarpum</i> )	13.5 OZ/A (0.2 lb ai/A)

Apply Aim 1.9EW to the foliage of exposed weeds above the water surface or to small weeds (less than 3 inches tall) pre-flood or to fallowed paddies for suppression of Giant Burreed.

When Aim is applied to exposed weeds above the water surface, optimum wild rice tolerance will be obtained if applied when wild rice is in the two-aerial-leaf to late-tillering-stage. Some leaf spotting on the rice plant may occur following application. These symptoms are temporary and are quickly outgrown.

Aim can be applied up 60 days before harvest.

## RESTRICTIONS

Do not apply Aim during the floating leaf stage when exposed leaves are most susceptible to crop response.

Do not apply Aim to rice when there is a heavy dew on the leaves or under high humidity conditions.

Do not apply when conditions favoring drift exist.

## MAXIMUM ALLOWABLE AIM EW USE PER ACRE PER SEASON

Total Allowed Aim EW Use*		
Crop	Fluid Ounces Aim EW	Pounds Active
Soybeans	1.4 Fluid Ounces/acre	0.023 lb active/acre
Barley	1.9	0.031
Corn	1.9	0.031
Oats	1.9	0.031
Wheat	1.9	0.031
Grain Sorghum	0.9	0.015
Rice	8.6	0.138
Cotton	7.8	0.125
Caneberry	25	0.4

\*The total allowed usage volumes include all applications made to the field per calendar year. This includes fallow treatments, burndown treatments and all in-season treatments.

## Preharvest Intervals (PHI) for Aim EW

Crop	PHI
Soybeans	Third trifoliolate
Corn	Eight leaf collars
Barley	Grain (Jointing Stage) Forage (7 days)
Oats	Grain (Jointing Stage) Forage (7 days)
Wheat	Grain (Jointing Stage) Forage (7 days)
Grain Sorghum	Six leaf collars
Rice	60 days
Cotton	7 days
Caneberry	15 days

## CROP ROTATIONAL RESTRICTIONS

**Following applications of Aim EW, any registered crop may be planted at any time.**

Root and leafy vegetables may be planted 30 days after an application of Aim EW. All other crops may be planted 12 months after an application of Aim EW. Follow the rotation statements on tank mix products if they are more restrictive.

## Dealers Should Sell in Original Packages Only.

**Terms of Sale or Use:** On purchase of this product buyer and user agree to the following conditions:

**Warranty:** FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

**Directions and Recommendations:** Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

**Use of Product:** FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

**Damages:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

**FMC**, Aim EW - trademarks of FMC Corporation