

Syngenta Crop Protection, Inc.
Post Office Box 18300
Greensboro, NC 27419

In Case of Emergency, Call
1-800-888-8372

1. PRODUCT IDENTIFICATION

Product Name: **DISCOVER NG** Product No.: A12936C
 EPA Signal Word: Caution
 Active Ingredient(%): Clodinafop-Propargyl (6.35%) CAS No.: 105512-06-9
 Chemical Name: Propanoic acid, 2-[4-[(5-chloro-3-fluoro-2-pyridinyl)oxy]-phenoxy]-2-propynyl ester
 Chemical Class: Carboxylic Acid Derivative Herbicide
 EPA Registration Number(s): 100-1173 **Section(s) Revised: 2, 5, 11, 15**

2. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
Propylene Glycol	Not Established	Not Established	50 ppm TWA AIHA WEEL ****	No
Acetophenone (<= 8%)	Not Established	10 ppm TWA	Not Established	No
Acetate Ester	Not Established	Not Established	50 ppm TWA*	No
Cloquintocet-Mexyl	Not Established	Not Established	10 mg/m ³ TWA***	No
Clodinafop-Propargyl (6.35%)	Not Established	Not Established	Not Established	No

* recommended by manufacturer

*** Syngenta Occupational Exposure Limit (OEL)

**** Recommended by AIHA (American Industrial Hygiene Association)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.
 Syngenta Hazard Category: B

3. HAZARDS IDENTIFICATION
Symptoms of Acute Exposure

May cause eye irritation.

Exposure to high vapor levels may cause headache, dizziness, numbness, nausea, incoordination, or other central nervous system effects.

Hazardous Decomposition Products

Can decompose at high temperatures forming toxic gases.

Physical Properties

Appearance: Light brown liquid

Odor: Sweet aromatic

Unusual Fire, Explosion and Reactivity Hazards

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

Medical Condition Likely to be Aggravated by Exposure

None known.

5. FIRE FIGHTING MEASURES

Fire and Explosion

- Flash Point (Test Method): 185°F
- Flammable Limits (% in Air): Lower: % Not Applicable Upper: % Not Applicable
- Autoignition Temperature: Not Available
- Flammability: Combustible liquid

Unusual Fire, Explosion and Reactivity Hazards

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

In Case of Fire

Use appropriate extinguishing media for combustibles in the area. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages

or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Ingestion:	Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.
Eye Contact:	Where eye contact is likely, use chemical splash goggles.
Skin Contact:	Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear.
Inhalation:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below exposure limits. A NIOSH-certified combination air-purifying respirator with an N, P or R 95 or HE class filter and an organic vapor cartridge may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. Use a pressure demand atmosphere-supplying respirator if there is any potential for uncontrolled release, exposure levels are not known, or under any other circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Light brown liquid
Odor:	Sweet aromatic
Melting Point:	Not Applicable
Boiling Point:	Not Available
Specific Gravity/Density:	7.86 lbs/gal (typical) @ 68°F (20°C)
pH:	5 - 7 (1% solution in H ₂ O @ 77°F (25°C))

Solubility in H₂O

Clodinafop-Propargyl: 4 mg/l @ 77°F (25°C)

Vapor Pressure

Clodinafop-Propargyl: 4.0 x 10⁽⁻⁸⁾ mmHg @ 68°F (20°C)

10. STABILITY AND REACTIVITY

Stability:	Stable under normal use and storage conditions.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	None known.
Materials to Avoid:	None known.
Hazardous Decomposition Products:	Can decompose at high temperatures forming toxic gases.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation Studies (Finished Product)

Ingestion:	<u>Practically Non-Toxic</u> Oral (LD50 Rat) : > 5,000 mg/kg body weight
Dermal:	<u>Practically Non-Toxic</u> Dermal (LD50 Rabbit) : > 5,000 mg/kg body weight
Inhalation:	<u>Practically Non-Toxic</u> Inhalation (LC50 Rat) : > 5.57 mg/l air - 4 hours
Eye Contact:	Slightly Irritating (Rabbit)
Skin Contact:	Mildly Irritating (Rabbit)
Skin Sensitization:	Not a Sensitizer (Guinea Pig)

Reproductive/Developmental Effects

Clodinafop-Propargyl: None observed.

Chronic/Subchronic Toxicity Studies

Clodinafop-Propargyl: Liver changes, anemia and skin reactions.

Carcinogenicity

Clodinafop-Propargyl: Increased incidences of benign tumors in mice (liver) and rats (ovary, prostate).

Other Toxicity Information

None.

Toxicity of Other Components

Acetate Ester

Test results reported in Section 11 for the final product take into account any hazards related to the acetate ester in the formulation.

Acetophenone (<= 8%)

Test results reported in Section 11 for the final product take into account any hazards related to the acetophenone in the formulation.

Cloquintocet-Mexyl

Test results reported in Section 11 for the final product take into account any hazards related to the cloquintocet-mexyl in the formulation.

Propylene Glycol

Test results reported in Section 11 for the final product take into account any hazards related to the propylene glycol in the formulation.

Target Organs

Active Ingredients

Clodinafop-Propargyl: Liver, skin, bone marrow

Inert Ingredients

Acetate Ester: Not Applicable

Acetophenone: Not Applicable

Cloquintocet-Mexyl: Not Applicable

Propylene Glycol: Not Applicable

12. ECOLOGICAL INFORMATION

Summary of Effects

Clodinafop-Propargyl:

Highly toxic to fish. Low toxicity to birds. Practically non-toxic to bees.

Eco-Acute Toxicity

Clodinafop-Propargyl: Bees LC50/EC50 > 100 ug/bee
Invertebrates (Water Flea) LC50/EC50 > 2.0 ppm
Fish (Trout) LC50/EC50 0.39 ppm
Fish (Bluegill) LC50/EC50 0.21 ppm
Birds (8-day dietary - Bobwhite Quail) LC50/EC50 > 5,200 ppm
Birds (8-day dietary - Mallard Duck) LC50/EC50 > 5,200 ppm

Eco-Chronic Toxicity

Clodinafop-Propargyl: Daphnia magna 21 days EC50 0.43 mg/l
Rainbow Trout 21 days NOEC 0.12 mg/l

Environmental Fate

Clodinafop-Propargyl:

No data available for the formulation. The information presented here is for the active ingredient, clodinafop-propargyl.

Low bioaccumulation potential. Not persistent in soil or water. Low to moderate mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Under certain circumstances, discarded product may exhibit TCLP hazardous characteristics. A hazardous waste determination should be done on a case by case basis.

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Non-Bulk Containers (<= 119 gal. cap.): Not regulated by DOT.

Bulk Containers (> 119 gal. cap.): Compounds, Weed Killing, Liquid, (Acetophenone), Combustible Liquid, NA1993, PGIII

B/L Freight Classification

Herbicides, NOIBN

Comments

International Transportation
Not regulated.

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard
Fire Hazard

Section 313 Toxic Chemicals: Acetophenone (<= 8%) (CAS No. 98-86-2)

California Proposition 65

Not Applicable

CERCLA/SARA 302 Reportable Quantity (RQ)

Report product spills > 8,000 gal. (based on acetophenone [RQ = 5,000 lbs.] content in the formulation)

RCRA Hazardous Waste Classification (40 CFR 261)

Under certain circumstances, discarded product may exhibit TCLP hazardous characteristics. A hazardous waste determination should be done on a case by case basis.

TSCA Status

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 1
Flammability: 2
Instability: 0

HMIS Hazard Ratings

Health: 1
Flammability: 2
Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 09/24/2003

Revision Date: 03/08/2004

Replaces:

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

RSVP# : SCP-955-00405B

End of MSDS