

# GOWAN CRYOLITE BAIT

<b>ACTIVE INGREDIENT:</b>	<b>% by Wt.</b>
Cryolite: Sodium aluminofluoride .....	20.0%
<b>OTHER INGREDIENTS</b> .....	80.0%
	Total 100.0%

## KEEP OUT OF REACH OF CHILDREN CAUTION

### STATEMENT OF PRACTICAL TREATMENT

**IF ON SKIN:** Wash with soap and water.

**IF IN EYES:** Flush eyes with plenty of clear water for at least 15 minutes.

**FOR MEDICAL EMERGENCIES INVOLVING THIS PRODUCT, CALL TOLL FREE 1-888-478-0798**

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

##### CAUTION

Harmful if swallowed, absorbed through skin, or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

#### Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### USER SAFETY RECOMMENDATIONS

#### Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

### ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

NET CONTENTS \_\_\_\_\_ POUNDS

### GENERAL USE DIRECTIONS AND PRECAUTIONS

READ the entire label. Use strictly in accordance with cautions and directions and with applicable State and Federal regulations. Use, timing, and dosage may vary as a consequence of local weather and conditions. We recommend reference to State Agricultural Extension Service concerning weevil sampling methods, proper application timing for local conditions, and other specific use information.

Do not apply under conditions involving possible drift to food, forage, or other planting that might be damaged, or the crops thereof rendered unfit for sale, use, or consumption.

Cryolite is a stomach poison. Sufficient amounts of bait must be ingested by insects in order to achieve control. To minimize plant damage, make application at first indication of insect pressure. Application equipment should be properly calibrated to ensure a uniform application rate and complete coverage. Apply bait after an irrigation or rain when soil and lower vegetation are damp. Rain and/or irrigation immediately following application may reduce bait effectiveness.

### PREHARVEST INTERVAL

The required days between last application and harvest are given in ( ) after each crop name.

### CROP RECOMMENDATIONS

CROP	PEST	LBS/ ACRE	COMMENTS
<b>CRANBERRIES (30)</b> (Except CA)	Black Vine Weevil, Strawberry Root Weevil	20-30	Apply late spring to early summer when the majority of adults have emerged and are actively feeding. Gowan Cryolite Bait is recommended as part of an Integrated Pest Management program for control of insects listed. Apply by ground equipment. Based on pest pressure, a second application may be made 10-14 days later.
<b>FIELD-GROWN ORNAMENTAL PLANTS</b> (including but not limited to Taxus, Arborvitae, Rhododendron, Euonymus, Barberry, Azalea, Laurel, Camellia, Hemlock, Spruce, Christmas Trees and Pine)	Black Vine Weevil, Strawberry Root Weevil Adults	20-65 or 0.5-1.5 lbs. per 1000 sq. ft.	Apply using ground equipment at first sign of adult weevil activity. Gowan Cryolite Bait should be applied in a uniform manner around the base of infested plants. Based on weevil pressure, a second application may be made 10-14 days later.
<b>ORNAMENTAL PLANTS, NONBEARING TREES &amp; VINES GROWING IN NURSERIES, ESTABLISHED ORNAMENTAL LANDSCAPE PLANTINGS</b>	Black Vine Weevil, Strawberry Root Weevil Adults	20-65 or 0.5-1.5 lbs. per 1000 sq. ft.	Apply using ground equipment at first sign of adult weevil activity. Gowan Cryolite Bait should be applied in a uniform manner around the base of infested plants. Based on weevil pressure, a second application may be made 10-14 days later.  <ul style="list-style-type: none"> <li>Do not use on plants growing in a greenhouse.</li> </ul>

### ORNAMENTALS

Gowan Cryolite Bait has demonstrated excellent crop safety; however, all species and varieties of plants have not been evaluated. Before treating a large number of plants, treat a few plants first and observe for 7-10 days prior to full-scale application.

### STORAGE AND DISPOSAL

**DO NOT** contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**FOR 24-HOUR EMERGENCY ASSISTANCE (SPILL, LEAK, OR FIRE), CALL CHEMTREC (800) 424-9300.**

**For other product information, contact Gowan Company  
or see Material Safety Data Sheet**

### NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.