

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SEMEVIN[®] Super
Seed Dressing Insecticide

Active Constituents: 400 g/L THIODICARB (an anti-cholinesterase compound)
80 g/L FIPRONIL

GROUP	1A	2C	INSECTICIDE
--------------	-----------	-----------	--------------------

For the control of false wireworm and thrips in cotton.

BASF

BASF Australia Ltd
ABN 62 008 437 867
Norwest Business Park, 7 Maitland Place
Baulkham Hills NSW 2153

1, 5, 10, 20, 50, 100, 200, 500, 1000 L

® = Registered trademark of Bayer

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. Do NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should NOT be burnt.

When treated seed is stored, it should be kept apart from other grain or seeds, and the bags or containers should be clearly marked to show that the contents have been treated with SEMEVIN Super Seed Dressing Insecticide. Do NOT re-use the bags or containers.

FOR RETURNABLE CONTAINERS:

Store in the closed, original container in a dry, cool, well ventilated area. Do NOT store for prolonged periods in direct sunlight. Empty container fully into application equipment. Close all valves and return to point of supply for refill or storage.

When treated seed is stored, it should be kept apart from other grain or seeds, and the bags or containers should be clearly marked to show that the contents have been treated with SEMEVIN Super Seed Dressing Insecticide.

SAFETY DIRECTIONS

Poisonous if inhaled or swallowed. Will irritate the eyes. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do NOT inhale vapour. Obtain an emergency supply of atropine tablets 0.6 mg. When opening the container, preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves, face shield, impervious footwear and half facepiece respirator with combined dust and gas cartridge. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, faceshield, respirator and if rubber wash with detergent and warm water and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (telephone 13 11 26). If swallowed, give one Atropine tablet every 5 minutes until dryness of the mouth occurs- if poisoned by skin absorption or through lungs, remove any contaminated clothing, wash skin thoroughly and give Atropine tablets as above. Get to a doctor or hospital quickly.

MSDS

Additional information is listed in the Material Safety Data Sheet

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non excludable conditions or warranties of the Trade Practices Act 1974 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

NRA Approval No.: 51371/0403

© Copyright 2003

® = Registered trademark of Bayer

Product number:

+ = other trademarks

Label Version: 241003

Batch Number:

Date of Manufacture:

Website: www.agro.basf.com.au

Fax on Demand: 0500 544 044

CARBAMATE PESTICIDE, LIQUID, TOXIC (thiodicarb)		
UN 2992	PG II	HAZCHEM 2X
IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE		FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 033 111

*



* Drummuster logo required for 1, 5, 10, 20, 200 L packs only

DIRECTIONS FOR USE

CROP	PEST	STATE	RATE	CRITICAL COMMENTS
Cotton	False wireworm and Cotton thrips	QLD NSW WA, NT only	625 mL / 100 kg seed	Thoroughly coat seed using commercial seed coating equipment. Allow to dry before handling.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS
AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

MIXING AND APPLICATION

Agitate or shake container prior to use. Apply to cotton seed in a manner which ensures even and thorough coverage of seed.

INSECTICIDE RESISTANCE STATEMENT

GROUP 1A 2C INSECTICIDE

For insecticide resistance management SEMEVIN Super is both a Group 1A and a Group 2C insecticide. Some naturally occurring insect biotypes resistant to SEMEVIN Super and other Group 1A and/or Group 2C insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if these insecticides are used repeatedly. The effectiveness of SEMEVIN Super on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, BASF Australia Ltd accepts no liability for any losses that may result from the failure of SEMEVIN Super to control resistant insects.

SEMEVIN Super may be subject to specific resistance management strategies. For further information contact your local supplier, an BASF Australia Ltd representative or local agricultural department agronomist.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Toxic to galliform birds and related species. Highly toxic to fish and very highly toxic to aquatic invertebrates. Any spillage of treated seed resulting during handling and loading operations must be cleaned up as soon as practicable, preferably by recovery and re-use. If disposal is required, ensure treated seeds are thoroughly buried and not accessible to livestock, birds and other wildlife.

PROTECTION OF LIVESTOCK AND OTHERS

Do NOT use treated seeds for human or animal consumption. Do NOT allow treated seed to contaminate grain/other seed intended for animal or human consumption. Do NOT feed treated seed, or otherwise expose, to wild or domestic birds.