



Section 24(c) Special Local Need Label

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF
SOUTH CAROLINA**

Reflex® Herbicide

**EPA REG. NO. 100-993
EPA SLN NO. SC-900004**

**For Control of Witchweed in Soybeans, Idle Cropland and Non-
Cropland**

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL
MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standards, on the EPA-registered Reflex Herbicide label.

This label must be in the possession of the user at the time of application.

For use only in the USDA witchweed eradication program to control witchweed in soybeans, idle cropland and non-cropland.

USE DIRECTIONS			
Use Pattern	Rate Per Acre	Spray Volume per Acre	Maximum No. of Applications
Postemergence directed spray	Up to 0.375 lbs ai	10-20 gallons	1

Soybeans:

Apply Reflex Herbicide at or before the R-1 growth stage (one open flower at any node on the main stem) of the soybeans.

Apply as a postemergence directed spray to the witchweed plants before they bloom. Position nozzles such that there is minimal interception of spray by the soybean plants and maximum coverage of emerged witchweed, exposed soil, and host grasses throughout the field.

Idle and Non-Cropland

Apply as a direct a direct spray to the witchweed plants before they bloom.

Add nonionic surfactant containing at least 75% surface active agent at 0.25 to 0.5% (1/2 to 1 pint per 25 gallons) of the finished spray volume to improve contact activity.

Rotational Crop Restrictions

The following rotational crops may be planted after applying Reflex Herbicide at recommended rates on soybeans or idle cropland.

Maximum number of application: 1

Crop To be Planted (Months after last Reflex Herbicide Application)

Crops To Be Planted	Minimum Rotation Interval (Months after Last Reflex Herbicide Application)
Small grains such as wheat, barley, rye	4
Alfalfa, beans, peas, corn, cotton, peanuts, rice	10
To avoid crop injury do not plant sunflower, sugar beets, sorghum or any other crop not listed above	18

Do not graze rotated small grain crops or harvest for livestock forage or straw. In the event of a crop loss due to weather conditions, soybeans can be replanted.

Chemigation:

Do not apply this product through any type of irrigation system

24(c) registrant:
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419-8300

EPA SLN No.: SC-900004

Label Code: SC0993007BA1103

Word – SCReflexSoybeansSLNLbl 8-11-03