

Greg Fritz/DC/USEPA/US

07/08/2004 02:30 PM

To mgreenwood@ropesgray.com,
yukiko.nishiyama@lampert-japan.com
Mary Dominiak/DC/USEPA/US@EPA,
cc takayuki.nakamura@daikin.com.jp, Tracy
Williamson/DC/USEPA/US@EPA, Jasbir

bcc

Subject Re: clarity for Daikin CBI claims [Contains No CBI] 

Hello Mark,

This is a follow up to todays telephone conversation (07/08/2003).

Having recently received and reviewed the Daikin CBI submission dated 06/18/2004 for chemical components of Accession # 70430 in Table 1 compound B and Table 2 of the components, we have looked again at the original submission for Accession # 174993 in Table 1 compound A and Table 2 of the components. We request the same style and format be provided for the 174993 product that was used to describe 70430 in the 06/18/2004 submission.

We are especially interested in the complete accurate list of chemicals, the numbers provided in column C and the appropriate markings in column D.

If you have further questions or comments about the specific CBI issues not detailed in this sanitized e-mail please call me at (202) 564-8583.

Thanks Greg
Dr. Gregory Fritz
USEPA/OPPTS/OPPT/EETD
Industrial Chemistry Branch (MC-7406M)
1201 Constitution Ave., NW
Washington, DC 20460
EPA East Building Cube 5133K
Telephone: (202) 564-8583
Fax:: (202) 564-8679