



David Menotti
<David.Menotti@shawpittman.com>

09/08/2004 02:48 PM

To Rich Leukroth/DC/USEPA/US@EPA
cc
bcc
Subject Re: Problems with Fluoropolymer incineration ECA package/
Asahi

Rich:

Attached is an email from David Lebedin at AGCChem, pointing out several problems with the signature package for the Asahi version of the Fluoropolmer Incineration ECA. Also attached is a copy of the signature page itself, that David has marked up to show the needed corrections.

The best way to proceed would be for you to send replacement pages to either David or Noel Misa, the AGCC technical contact.

I understand from the DuPont representatives that there are similar problems with their fluoropolymer package (their telomer package, like Asahi's, apparently does not have such problems).

If you could let me know when this has been accomplished, it would be appreciated.

David E. Menotti

(See attached file: Asahi Fluoro

Sig Page.PDF)
202-663-8675

----- Forwarded by David Menotti/SPPT/US on 09/08/2004 02:24 PM -----

dlebedin@agcchem. com	To: David Menotti
<David.Menotti@shawpittman.com>	cc:
09/08/2004 12:12	Subject: Re: Email re problems
with Fluoropolymer	incineration ECA package
PM	

David,

A second look at the documents did not yield any additional concerns. The following problems have been identified.

1) Copy #2 - Public Version, XXIV. Signature page, contains the incorrect heading, "Contains Confidential Business Information". The page also incorrectly contains a TSCA CONFIDENTIAL stamp, lower left hand corner of page.

I do not understand the purpose of the statement on the page, "Company technical contact person for handling correspondence marked as "Confidential"?"

I will fax you a marked-up copy of the Signature page.

No issues found regarding the CBI Signature page.

2) Tab 3, Copy #2 Public Version, ECA Document . Every page of the ECA document contains a heading, "Contains Confidential Business Information".

I can not find any issues concerning the Telomer signature and ECA documents.

Regards,

David Lebedin
Regulatory Specialist
AGC Chemicals Americas, Inc.
229 East 22nd Street
Bayonne, NJ 07002
201-823-5092 voice
201-858-8986 fax

David Menotti
<David.Menotti@shawpittman.com
>

To: dlebedin@agcchem.com

cc:

Subject: Email re

problems with Flouropolymer incineration
ECA package

09/08/2004 08:45 AM

David:

As I recall the bidding, you were going to send me an email on this subject, which I could then forward on, with comments, to Rich Leukroft seeking corrected pages. Can you get this to me sometime today? I am going to be out of the office most of Thursday, and all day on Friday, and would like to get this ball in Leukroft's court before I leave. THanks.

David E. Menotti
202-663-8675

This electronic message transmission contains information from the law firm Shaw Pittman LLP that may be confidential or privileged. The information is intended solely for the recipient and use by any other party is not authorized. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us immediately by telephone (1.202.663.8000, or in the UK, 020 7847 9500) or by electronic mail at postmaster@shawpittman.com. Thank You.

This email has been scanned by the MessageLabs Email Security System.
For more information please visit <http://www.messagelabs.com/email>

This electronic message transmission contains information from the law firm Shaw Pittman LLP that may be confidential or privileged. The information is intended solely for the recipient and use by any other party is not authorized. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us immediately by telephone (1.202.663.8000, or in the UK, 020 7847 9500) or by electronic mail at



postmaster@shawpittman.com. Thank You. Asahi Fluoro Sig Page.PDF