



# Fluoridation Census

SEPTEMBER – 1993

**U.S. DEPARTMENT OF HEALTH & HUMAN SERVICES**  
Public Health Service  
Centers for Disease Control and Prevention  
National Center for Prevention Services  
Division of Oral Health  
Atlanta, Georgia 30333

# STATE SUMMARY DATA AS OF 12/31/92

## NEW HAMPSHIRE

### SYSTEM SIZE CLASSIFICATION

	FLUORIDATED SYSTEMS		PUBLIC WATER SYSTEMS	
	NUMBER OF SYSTEMS	TOTAL POPULATION	NUMBER OF SYSTEMS	TOTAL POPULATION
=<1,000	127	20,626	663	73,000
1,001-5,000	4	10,250	88	140,000
5,001-10,000	2	15,200	13	96,000
10,001-50,000	5	130,217	12	240,000
50,001-100,000	0	0	1	80,000
>100,000	0	0	1	105,000
TOTAL	138	176,293	778	735,000

### FLUORIDATED SYSTEM CLASSIFICATION

	NUMBER	POPULATION	PERCENTAGE (POP.)
ADJUSTED	10	147,542	83.7
CONSECUTIVE	2	1,200	0.7
NATURAL	126	27,551	15.6
TOTAL	138	176,293	

### SCHOOLS, INDIAN AND MILITARY SYSTEMS

	ADJUSTED		NATURAL	
	NUMBER	POP.	NUMBER	POP.
TOTAL SCHOOLS	0	0	0	0
INDIAN SYSTEMS	0	0	0	0
INDIAN SCHOOLS	0	0	0	0
MILITARY SYSTEMS	1	25	0	0

### CHEMICAL USAGE OF FLUORIDATING SYSTEMS

	NUMBER	POPULATION
SODIUM FLUORIDE	7	56,900
SODIUM SILICOFLUORIDE	0	0
HYDROFLUOSILICIC ACID	5	91,842

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**NEW HAMPSHIRE**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
ACADEMY SCHOOL	1615020	CARROLL		NATL		340	1.8	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					340		
AMAZON MHP	2003070	STRAFFORD		NATL		110	1.7	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					110		
AMHERST MIDDLE SCHOOL	0075020	HILLSBORO		NATL		650	0.9	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					650		
APPLETON ELEM	1715030	HILLSBORO		NATL		180	1.0	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					180		
ATTITASH WOODS	0162300	CARROLL		NATL		120	3.8	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					120		
BARNSTEAD ELEM SCHOOL	0145010	BELK		NATL		450	1.2	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					450		
BARTLETT PLACE	0162250	CARROLL		NATL		72	3.3	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					72		
BEAR VILLAGE SOUTH	0162340	CARROLL		NATL		30	3.8	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					30		
BIRCH HILL EAST	0512010	CARROLL		NATL		375	2.7	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					375		
BIRCH HILL WEST	0512020	CARROLL		NATL		113	3.0	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					113		
BLACK MOUNTAIN MEADOW	1212080	JACKSON		NATL		43	2.0	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					43		
BLUEBERRY VILLAGE CONDOMINIUMS	0162180	CARROLL		NATL		40	2.1	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					40		
BRICHVIEW ON SACO	0162110	CARROLL		NATL		250	3.5	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					250		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**NEW HAMPSHIRE**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL NAT LEVEL	SYSTEMS OPT LEVEL
BROOK VIEW VILLAGE	0512190	CARROLL			NATL	40	3.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						40		
BROOKSIDE CROSSING	0882180	BELKNAP			NATL	138	1.8	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						138		
CATHEDRAL LEDGE	0512030	CARROLL			NATL	135	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						135		
CATHEDRAL TRAIL LODGES II	0162160	CARROLL			NATL	170	1.5	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						170		
CEDAR CREEK	0512200	CARROLL			NATL	45	3.8	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						45		
CENTER OF HOPE	2565010	CARROLL			NATL	25	3.8	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						25		
CHESTER SCHOOL	0435030	ROCKINGHAM			NATL	325	2.1	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						325		
CHRISTMAS MTN. REALTY TRUST	0162220	CARROLL			NATL	203	2.3	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						203		
COBB FARM DEVELOPMENT	0162140	CARROLL			NATL	59	2.7	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						59		
CONCORD WATER DEPT	0501010	MERRIMACK	Acid	ADJ	11/78	32000		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						32000		
CRAWFORD HILL	0162190	CARROLL			NATL	115	1.8	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						115		
CRAWFORD POND	0162330	CARROLL			NATL	58	1.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						58		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**NEW HAMPSHIRE**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
CRYSTAL SPRINGS	0892020	BELKNAP			NATL	23	1.7	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					23		
DEERBROOK CONDOMINIUMS	0512150	CARROLL			NATL	68	2.5	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					68		
DOVER WATER WORKS	0651010	STRAFFORD	Acid	ADJ	09/89	26000		1.0
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					26000		
DURHAM WATER DEPT	0691010	STRAFFORD	NaF	ADJ	08/55	14000		1.0
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					14000		
EAGLE MT HOUSE	1212120	CARROLL			NATL	58	2.5	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					58		
ECHO LAKE WOODS	0512050	CARROLL			NATL	112	3.5	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					112		
ELLIS RIVER	1212060	JACKSON			NATL	30	1.0	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					30		
FAIRHAVEN MHP	1563020	HILLSBORO			NATL	63	1.7	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					63		
FAR ECHO	1612030	CARROLL			NATL	75	2.0	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					75		
FOREST EDGE	0512060	CARROLL			NATL	167	3.0	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					167		
FOREST PARK VILLAGE	0512070	CARROLL			NATL	45	1.5	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					45		
FOUR SEASONS AT ATTITASH	0162240	CARROLL			NATL	440	3.0	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					440		
FRANCOVR APT	1201200	HILLSBORO			NATL	128	1.7	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					128		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**NEW HAMPSHIRE**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
FREEDOM VILLAGE	0862030	CARROLL			NATL	150	1.7	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						150		
FRYEBURG WATER CO, ME EAST CONWAY	0090600 0511020	OXFORD CARROLL	NaF		ADJ 11/71 CONS	0 600		1.2
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						600		
GILFORD MIDDLE SCHOOL	0885020	BELK			NATL	900	0.9	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						900		
GILMANTON ELEM SCHOOL	0895010	BELK			NATL	405	1.1	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						405		
GLEN ACRES	0162060	CARROLL			NATL	30	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						30		
GOODRICH	0162350	CARROLL			NATL	30	3.5	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						30		
GOSHEN LEMSPETER SCHOOL	1345010	SULL			NATL	250	1.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						250		
GRANTHAM VILLAGE SCHOOL	0955010	SULL			NATL	85	2.6	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						85		
GUNSTOCK GLEN	0882090	BELKNAP			NATL	138	1.7	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						138		
HANOVER WATER CO	1071010	GRAFTON	NaF		ADJ 11/58	6700		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6700		
HARBORSIDE	1612220	CARROLL			NATL	40	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						40		
HIGH PASTURES	1212100	JACKSON			NATL	40	3.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						40		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**NEW HAMPSHIRE**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
HIGHWATCH	0732020	CARROLL				200	1.7	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						200		
HOLIDAY RIDGE	0162010	CARROLL				150	3.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						150		
HOST MILLS	2452030	HILLSBORO				0	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						0		
HUNTING RIDGE	0512080	CARROLL				83	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						83		
INTERLAKES SCHOOL	1525020	BELK				485	1.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						485		
JEFFERSON ELEM SCHOOL	1235010	COOS				101	1.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						101		
KEASARGE SCHOOL	0275070	MERRIMACK				200	1.2	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						200		
LAKE OSSIPPEE VILL	0862010	CARROLL				450	1.7	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						450		
LAKE PINE CONDOMINUMS	0512090	CARROLL				25	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						25		
LAKES REG. DAY CARE	1285030	BELK				90	1.1	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						90		
LANCASTER WATER DEPT	1291010	COOS	NaF	ADJ	12/65	2100		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2100		
LEBANON WATER DEPT	1321010	GRAFTON	NaF	ADJ	11/56	8500		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8500		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**NEW HAMPSHIRE**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
LINCOLN MON. (EAST ONLY)	1351010	GRAFTON			NATL	2750	3.0	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					2750		
LINDERHOFF GOLF COURSE	0162070	CARROLL			NATL	298	2.0	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					298		
LINDERHOFF MOUNTAINSIDE	0162090	CARROLL			NATL	297	2.5	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					297		
LOST VALLEY	0073203	CARROLL			NATL	105	2.4	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					105		
LOUDON ELEM SCHOOL	1405010	MERRIMACK			NATL	365	3.0	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					365		
LYME CENTRAL SCHOOL	1435010	GRAFTON			NATL	28	2.1	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					28		
LYNDEBORO	1445010	HILLSBORO			NATL	130	1.0	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					130		
MADNONOCK SCHOOL	1875030	HILLSBORO			NATL	90	0.8	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					90		
MELODY PINES CONDOMINIUMS	0512230	CARROLL			NATL	125	3.5	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					125		
METTING HOUSE SCH	1995020	CHES			NATL	50	0.9	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					50		
MITTENWALD	0162120	CARROLL			NATL	30	2.5	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					30		
MITTERSILL	0841200	COOS			NATL	475	2.5	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					475		
MONADNOCK MHP	1993010	CHESEHINE			NATL	190	1.7	
	TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					190		



POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**NEW HAMPSHIRE**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
MOU CENTRAL SCHOOL	1615010	CARROLL				430	1.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						430		
MOUNTAIN RIVER WEST	2342030	GRAFTON				200	1.8	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						200		
MOUNTAIN VALE VILLAGE M.H.P	0513100	CARROLL				250	1.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						250		
MOUNTAINSIDE ON ATTITASH	0162210	CARROLL				150	2.5	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						150		
MT HOME EST	1392080	ROCKINGHAM				500	1.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						500		
NEW BOSTON ELEM SCHOOL	1645010	HILLSBORO				380	0.9	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						380		
NORDIC VILLAGE	0162270	CARROLL				53	2.7	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						53		
NORTH CONWAY WATER PRECINCT	0511030	CARROLL				4000	0.8	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4000		
NORTH LEDGE WATER COMPANY	0162050	CARROLL				80	2.2	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						80		
NORTH PINES ASSOCIATION	0512110	CARROLL				67	3.5	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						67		
NOTTINGHAM ELEM	1805010	STRAFFORD				400	0.9	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						400		
OAK WOOD HEIGHTS	0512170	CARROLL				30	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						30		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**NEW HAMPSHIRE**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL NAT LEVEL	SYSTEMS OPT LEVEL
PARADISE SHORES	1612010	CARROLL		NATL		1000	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1000		
PARTRIDGE WOODS	0162230	CARROLL		NATL		120	3.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						120		
PLAINS SCHOOL	1435020	GRAFTON		NATL		220	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						220		
PORTSMOUTH WATER DEPT	1951010	ROCKINGHAM	Acid	ADJ	06/75	33217		1.0
NEW CASTLE WATER WORKS	1661010	ROCKINGHAM		CONS		600		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						33817		
PROFILE APT	2002020	STRAFFORD		NATL		90	1.7	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						90		
PROFILE HS	0245010	GRAFTON		NATL		250	1.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						250		
ROCHESTER WATER WORKS	2001010	STRAFFORD	NaF	ADJ	11/67	25000		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						25000		
ROCKHOUSE MOUNTAIN	0512240	CARROLL		NATL		53	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						53		
ROCKY RIVER RESORT	0162290	CARROLL		NATL		100	3.8	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						100		
ROLLING RIDGE	0162130	CARROLL		NATL		75	3.9	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						75		
SACO PINES	0512180	CARROLL		NATL		50	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						50		
SACO RIDGE VILLAGE	0162020	CARROLL		NATL		75	3.2	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						75		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**NEW HAMPSHIRE**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
SACO RIVER FOREST ASSOCIATION	0512120	CARROLL			NATL	65	2.0	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		65
SACO WOODS	0512250	CARROLL			NATL	240	1.5	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		240
SLOPE & SHORE	1722020	MERRIMACK			NATL	180	2.5	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		180
SOUTH PINES ASSOCIATION	0512140	CARROLL			NATL	65	3.0	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		65
STAR RIDGE	2342080	GRAFTON			NATL	60	3.0	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		60
SUTTON CENTRAL SCHOOL	2295020	MERRIMACK			NATL	75	1.3	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		75
SWEET HILL KINDER	1935040	ROCKINGHAM			NATL	53	2.5	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		53
SWISSVALE	1612130	CARROLL			NATL	338	1.7	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		338
TAMWORTH COMMUNITY SCHOOL	2315030	CARROLL			NATL	60	0.9	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		60
TE SEASPM AT ATTITASH	0166240	CARROLL			NATL	480	3.8	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		480
TEMPLE ELEM SCHOOL	2325010	HILLSBORO			NATL	50	0.9	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		50
THE MEADOWS	0162370	CARROLL			NATL	33	1.0	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		33
THE WELL SCHOOL	1875020	HILLSBORO			NATL	105	1.0	
						TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -		105

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**NEW HAMPSHIRE**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL NAT LEVEL	SYSTEMS OPT LEVEL
TOP NOTCH CONDOS	0162200	CARROLL			NATL	88	2.5	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						88		
TUFTONBORO CENTRAL SCHOOL	2375010	CARROLL			NATL	210	0.9	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						210		
VILLAGIO BIANCO ASSN. LTD.	0162260	CARROLL			NATL	63	1.5	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						63		
WAGON WHEELS	0298030	GRAFTON			NATL	80	1.8	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						80		
WATERVILLE VALLEY	2441010	GRAFTON			NATL	300	1.2	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						300		
WEARE MIDDLE SCHOOL	2455020	HILLSBORO			NATL	230	2.1	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						230		
WEBSTER ELEM SCHOOL	2465010	MERRIMACK			NATL	100	1.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						100		
WENTWORTH ELEM SCHOOL	2475010	GRAFTON			NATL	75	1.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						75		
WESTMORELAND ELEM SCHOOL	2495030	CHES			NATL	155	1.7	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						155		
WHISPERING BROOK	0162310	CARROLL			NATL	30	3.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						30		
WHITE MT. RESORT	2342060	GRAFTON			NATL	208	1.7	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						208		
WHITEFIELD VIL FIRE B HILL	2501030	COOS			NATL	1400	0.8	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1400		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
 CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**NEW HAMPSHIRE**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
WOODLAND GROVE	0512130	CARROLL			NATL	155	2.0	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						155		