



# Fluoridation Census

SEPTEMBER – 1993

**U.S. DEPARTMENT OF HEALTH & HUMAN SERVICES**  
Public Health Service  
Centers for Disease Control and Prevention  
National Center for Prevention Services  
Division of Oral Health  
Atlanta, Georgia 30333

# STATE SUMMARY DATA AS OF 12/31/92

## ALABAMA

### SYSTEM SIZE CLASSIFICATION

	FLUORIDATED SYSTEMS		PUBLIC WATER SYSTEMS	
	NUMBER OF SYSTEMS	TOTAL POPULATION	NUMBER OF SYSTEMS	TOTAL POPULATION
=<1,000	60	32,256	198	107,000
1,001-5,000	124	310,082	266	653,000
5,001-10,000	51	375,467	75	542,000
10,001-50,000	54	1,039,330	61	1,153,000
50,001-100,000	5	311,337	5	311,000
>100,000	5	1,243,161	5	1,243,000
<b>TOTAL</b>	<b>299</b>	<b>3,311,633</b>	<b>610</b>	<b>4,010,000</b>

### FLUORIDATED SYSTEM CLASSIFICATION

	NUMBER	POPULATION	PERCENTAGE (POP.)
ADJUSTED	117	2,654,055	80.1
CONSECUTIVE	162	603,295	18.2
NATURAL	20	54,283	1.6
<b>TOTAL</b>	<b>299</b>	<b>3,311,633</b>	

### SCHOOLS, INDIAN AND MILITARY SYSTEMS

	ADJUSTED		NATURAL	
	NUMBER	POP.	NUMBER	POP.
TOTAL SCHOOLS	1	4500	0	0
INDIAN SYSTEMS	0	0	0	0
INDIAN SCHOOLS	0	0	0	0
MILITARY SYSTEMS	4	61,323	0	0

### CHEMICAL USAGE OF FLUORIDATING SYSTEMS

	NUMBER	POPULATION
SODIUM FLUORIDE	0	0
SODIUM SILICOFLUORIDE	5	33,329
HYDROFLUOSILICIC ACID	261	3,205,354

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
ABBEVILLE	0000657	HENRY	Acid	ADJ	11/76	3287		1.0
CAPPS	0000660	HENRY		CONS		600		
WILLS CROSSROADS	0000669	HENRY		CONS		450		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4337		
ALBERTVILLE	0000933	MARSHALL	Acid	ADJ	05/57	22095		1.0
BOAZ	0000936	MARSHALL		CONS		8700		
SARDIS CITY	0000947	ETOWAH		CONS		3495		
COLLINSVILLE	0000506	DEKALB		CONS		1725		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						36015		
ALEXANDER CITY	0001265	TALLAPOOSA	Acid	ADJ	10/69	21216		1.0
HACKNEYVILLE	0001541	TALLAPOOSA		CONS		735		
JACKSON GAP	0001279	TALLAPOOSA		CONS		4689		
KELLYTON	0000352	COOSA		CONS		1350		
NEW SITE	0001283	TALLAPOOSA		CONS		1431		
DAVISTON	0001274	TALLAPOOSA		CONS		570		
SOUTH TALLAPOOSA	0001429	TALLAPOOSA		CONS		2040		
WALNUT HILL	0001289	TALLAPOOSA		CONS		4344		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						36375		
ALICEVILLE	0001102	PICKENS	Acid	ADJ	07/78	3372		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3372		
ANDALUSIA	0000356	COVINGTON		NATL		11700	0.8	
COMMUNITY	0001499	COVINGTON		CONS		917		
HEATH	0000368	COVINGTON		CONS		236		
SANFORD	0000384	COVINGTON		CONS		285		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						13138		
ANNISTON	0000133	CALHOUN	Acid	ADJ	07/60	58845		1.0
FORT MCCLELLAN	0001493	CALHOUN		CONS		12181		
HOBSON CITY	0000149	CALHOUN		CONS		417		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						71443		
ARAB	0000934	MARSHALL	Acid	ADJ	12/72	25500		1.0
JOPPA-HULACO-RYAN	0000409	CULLMAN		CONS		3268		
UNION GROVE	0000951	MARSHALL		CONS		2100		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						30868		
ATHENS	0000824	LIMESTONE	Acid	ADJ	02/62	19050		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						19050		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
ATMORE	0000553	ESCAMBIA	Acid	ADJ	10/74	10035		1.0
PERDIDO	0001546	BALDWIN		CONS		540		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10575		
AUBURN	0000804	LEE	Acid	ADJ	06/60	30735		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						30735		
BAY MINETTE	0000023	BALDWIN	Acid	ADJ	12/80	9000		1.0
PINE GROVE	0000056	BALDWIN		CONS		2211		
WHITE HOUSE	0000076	BALDWIN		CONS		2244		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						13455		
BELFOREST	0000025	BALDWIN	Acid	ADJ	11/82	1533		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1533		
BELK	0000595	FAYETTE		NATL		548	0.7	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						548		
BETHLEHEM	0000658	HENRY	OTHER	ADJ	00/00	1110		0.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1110		
BIRMINGHAM	0000738	JEFFERSON	Acid	ADJ	09/81	528000		1.0
BESSEMER	0000737	JEFFERSON		CONS		85262		
WOODWARD ESTATES	0000774	JEFFERSON		CONS		710		
BROOKSIDE	0000741	JEFFERSON		CONS		3390		
GRAYSVILLE	0000748	JEFFERSON		CONS		8987		
MOUNT HIGH ROCK SPRINGS	0000107	BLOUNT		CONS		4098		
MULGA	0000755	JEFFERSON		CONS		6782		
REMLAP-PINE MOUNTAIN	0001672	BLOUNT		CONS		465		
WEST JEFFERSON	0000765	JEFFERSON		CONS		2880		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						640574		
BOWDON, GA	0220164	CARROLL	Acid	ADJ	12/99	0		1.0
RANBURN	0000283	CLEBURNE		CONS		1455		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1455		
BRANTLEY	0000385	CRENSHAW	Acid	ADJ	10/82	1200		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1200		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
BRENT	0000091	BIBB	Acid	ADJ	12/89	4350		1.0
HARRISBURG	0000094	BIBB		CONS		735		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5085		
BRUNDIDGE	0001110	PIKE			NATL	2472	1.0	
BANKS	0001108	PIKE			CONS	751		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3223		
BUTLER	0000232	CHOCTAW	Acid	ADJ	01/82	2808		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2808		
CAMDEN	0001374	WILCOX			NATL	3575	1.4	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3575		
CENTRE	0000188	CHEROKEE	Acid	ADJ	01/82	4200		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4200		
CENTREVILLE	0000092	BIBB	Acid	ADJ	10/84	2892		1.0
BIBB COUNTY	0001543	BIBB			CONS	1161		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4053		
CHEROKEE	0000311	COLBERT	Acid	ADJ	05/67	2070		1.0
BARTON	0000308	COLBERT			CONS	1995		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4065		
CHILDERSBURG	0001228	TALLADEGA	Acid	ADJ	08/85	7111		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7111		
CLAY COUNTY	0000266	CLAY	Acid	ADJ	08/81	336		1.0
ASHLAND	0000264	CLAY			CONS	2433		
LINEVILLE	0000268	CLAY			CONS	2622		
MILLERVILLE	0000270	CLAY			CONS	540		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5931		
CULLMAN	0000398	CULLMAN	Acid	ADJ	11/67	22072		1.0
CULLMAN CO COMM	0000394	CULLMAN			CONS	33150		
ARLEY	0001403	WINSTON			CONS	2055		
GARDEN CITY	0000404	CULLMAN			CONS	855		
EAST CULLMAN	0000402	CULLMAN			CONS	8350		
JOHNSON'S CROSSING	0000408	CULLMAN			CONS	2031		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
VAW	0000413	CULLMAN		CONS	9666		
WALTER	0000414	CULLMAN		CONS	993		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					79172		
DADEVILLE	0001273	TALLAPOOSA	Acid	ADJ 12/67	3477		1.0
CAMP HILL	0001270	TALLAPOOSA		CONS	1737		
WAVERLY	0000823	CHAMBERS		CONS	240		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					5454		
DALEVILLE	0000420	DALE	Acid	ADJ 07/81	6300		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					6300		
DAPHNE	0000029	BALDWIN	Acid	ADJ 11/82	14742		1.0
PARK CITY	0000028	BALDWIN		CONS	615		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					15357		
DECATUR	0001084	MORGAN	Acid	ADJ 04/66	55938		1.0
TRINITY	0001091	MORGAN		CONS	1680		
WEST MORGAN	0001092	MORGAN		CONS	16623		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					74241		
DEMOPOLIS	0000908	MARENGO		NATL	8100	1.7	
RANGELINE	0000915	MARENGO		CONS	81		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					8181		
DOTHAN	0000681	HOUSTON	Acid	ADJ 04/59	60825		1.0
NAPIER FIELD	0000693	DALE		CONS	1506		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					62331		
ELBA	0000295	COFFEE	Acid	ADJ 05/86	4011		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					4011		
ENTERPRISE	0000296	COFFEE	Acid	ADJ /74	25694		1.0
BETHANY	0000287	COFFEE		CONS	795		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					26489		
EUFAULA	0000085	BARBOUR	Acid	ADJ 05/72	16080		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -					16080		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
EUTAW	0000636	GREENE			NATL	3933	1.3	
GREENE COUNTY	0000643	GREENE			CONS	960		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4893		
EVERGREEN	0000338	CONECUH	Acid	ADJ	06/85	5061		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5061		
FAIRHOPE	0000035	BALDWIN	Acid	ADJ	03/81	21201		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						21201		
FAYETTE	0000597	FAYETTE	Acid	ADJ	02/57	7014		1.0
COVIN-MT. VERNON	0000594	FAYETTE			CONS	1296		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8310		
FLORENCE	0000783	LAUDERDALE	Acid	ADJ	06/68	48105		1.0
CHISHOLM HEIGHTS	0000777	LAUDERDALE			CONS	900		
EAST LAUDERDALE	0001424	LAUDERDALE			CONS	3582		
LEXINGTON	0000788	LAUDERDALE			CONS	1860		
WATERLOO	0000793	LAUDERDALE			CONS	411		
WEST LAUDERDALE	0000794	LAUDERDALE			CONS	6750		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						61608		
FOLEY	0000036	BALDWIN	Acid	ADJ	10/63	8994		1.0
OYSTER BAY	0000055	BALDWIN			CONS	1155		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10149		
FORKLAND	0001428	GREENE			NATL	1086	0.8	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1086		
FORT DEPOSIT	0000846	LOWNDES	Acid	ADJ	06/84	1980		1.0
LOGAN	0000851	LOWNDES			CONS	543		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2523		
FORT PAYNE	0000509	DEKALB	Acid	ADJ	02/64	16800		1.0
MENTONE	0000515	DEKALB			CONS	1050		
NORTHEAST ALABAMA	0001422	DEKALB			CONS	17100		
CEDAR BLUFF	0000187	CHEROKEE			CONS	2100		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						37050		
FORT RUCKER	0001489	DALE	Acid	ADJ	11/61	21000		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						21000		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

ALABAMA

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
FREEMANVILLE	0000561	ESCAMBIA	Acid	ADJ	06/84	2403		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2403		
GADSDEN	0000577	ETOWAH	Acid	ADJ	09/80	52455		1.0
HIGHLAND	0000580	ETOWAH		CONS		3786		
RAINBOW CITY	0000588	ETOWAH		CONS		8691		
TILLISON BEND	0000583	ETOWAH		CONS		678		
WHORTON BEND	0000573	ETOWAH		CONS		1020		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						66630		
GEORGIANA	0000123	BUTLER			NATL	2396		1.4
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2396		
GORDO	0001105	PICKENS	Acid	ADJ	02/65	2771		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2771		
GRAND BAY	0000983	MOBILE	HF	ADJ	04/82	6450		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6450		
GREENVILLE	0000125	BUTLER			NATL	8353		0.7
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8353		
GUIN	0000924	MARION	Acid	ADJ	04/80	3900		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3900		
GULF SHORES	0000038	BALDWIN	Acid	ADJ	03/82	8643		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8643		
GUNTERSVILLE	0000943	MARSHALL	Acid	ADJ	11/60	9804		1.0
ASBURY	0000935	MARSHALL		CONS		1984		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11788		
HARTFORD	0000624	GENEVA	Acid	ADJ	10/91	2604		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2604		
HARTSELLE	0001086	MORGAN	Acid	ADJ	02/73	15600		1.0
FALKVILLE	0001085	MORGAN		CONS		1350		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						16950		



POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
HEADLAND	0000664	HENRY	Acid	ADJ	11/68	3825		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3825		
HEFLIN	0000279	CLEBURNE	Acid	ADJ	03/81	3150		1.0
EDWARDSVILLE	0000277	CLEBURNE		CONS		414		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3564		
HILLSBORO	0000797	LAWRENCE			NATL	1230	1.3	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1230		
HOLTVILLE	0000540	ELMORE	Acid	ADJ	03/82	4800		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4800		
HUNTSVILLE	0000882	MADISON	Acid	ADJ	09/59	177000		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						177000		
IRONDALE	0000751	JEFFERSON	Acid	ADJ	09/82	9600		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						9600		
JACKSON	0000256	CLARKE	Acid	ADJ	02/84	7395		1.0
MCVAY	0000258	CLARKE		CONS		1002		
OLD LINE	0000257	CLARKE		CONS		1095		
SALITPA	0000260	CLARKE		CONS		618		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10110		
JACKSONVILLE	0000154	CALHOUN	Acid	ADJ	01/81	10275		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10275		
JASPER	0001336	WALKER	Acid	ADJ	10/68	19500		1.0
BOLDO	0001322	WALKER		CONS		2895		
COPELAND FERRY	0001327	WALKER		CONS		1005		
CORDOVA	0001326	WALKER		CONS		4500		
CURRY	0001432	WALKER		CONS		11660		
OAKMAN	0001343	WALKER		CONS		1800		
PARRISH	0001344	WALKER		CONS		4939		
PROVIDENCE	0001345	WALKER		CONS		990		
SIPSEY	0001349	WALKER		CONS		6075		
TOWNLEY	0001353	WALKER		CONS		2160		
WEST WALKER	0001717	WALKER		CONS		150		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						55674		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
LAFAYETTE	0000178	CHAMBERS	Acid	ADJ	01/63	4080		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4080		
LEEDS	0000753	JEFFERSON	Acid	ADJ	12/86	13980		1.0
COOK SPRINGS	0001434	ST. CLAIR		CONS		1953		
SHELBY COUNTY	0001671	SHELBY		CONS		510		
WOODLAND VILLAGE	0000768	JEFFERSON		CONS		825		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						17268		
LINDEN	0000914	MARENGO		NATL		3344	3.6	
SOUTH MARENGO	0001439	MARENGO		CONS		1983		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5327		
LIVINGSTON	0001220	SUMTER	Acid	ADJ	10/55	4248		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4248		
LOXLEY	0000048	BALDWIN	Acid	ADJ	02/89	3138		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3138		
LUVERNE	0000390	CRENSHAW	Acid	ADJ	10/80	3255		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3255		
MACEDONIA	0000300	DALE	Acid	ADJ	10/82	1002		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1002		
MADISON	0000885	MADISON	Acid	ADJ	05/92	24291		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						24291		
MADISON CO	0000888	MADISON	Acid	ADJ	10/84	42615		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						42615		
MARION	0001097	PERRY	Acid	ADJ	09/89	4098		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4098		
MOBILE	0001005	MOBILE	Acid	ADJ	07/58	275867		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						275867		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
MONROEVILLE	0001052	MONROE	Acid	ADJ	05/82	8400		1.0
MEXIA	0001050	MONROE		CONS		1674		
PETERMAN	0001055	MONROE		CONS		420		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10494		
MONTEVALLO	0001160	SHELBY	Acid	ADJ	05/63	6510		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6510		
MONTGOMERY	0001070	MONTGOMERY	Acid	ADJ	05/79	195000		1.0
MONTGOMERY NORTH	0001435	MONTGOMERY		CONS		1290		
PINTLALA	0001073	MONTGOMERY		CONS		1500		
WETUMPKA	0000551	ELMORE		CONS		5469		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						203259		
MOULTON	0000798	LAWRENCE	Acid	ADJ	07/71	5670		1.0
COURTLAND	0000795	LAWRENCE		CONS		2400		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8070		
MUSCLE SHOALS	0000321	COLBERT	Acid	ADJ	02/75	14203		1.0
COLBERT COUNTY	0000314	COLBERT		CONS		6513		
WEST LAWRENCE	0000801	LAWRENCE		CONS		11100		
LAGRANGE MOUNTAIN	0000318	COLBERT		CONS		1350		
SPRING VALLEY	0000329	COLBERT		CONS		3540		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						36706		
NORTH MARSHALL	0000945	MARSHALL	Acid	ADJ	02/71	6000		1.0
SWEARENGIN	0000949	MARSHALL		CONS		1530		
VALLEY	0000952	MARSHALL		CONS		1809		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						9339		
NORTHEAST MORGAN	0001088	MORGAN	Acid	ADJ	09/73	15786		1.0
SHERBROOKE	0001089	MORGAN		CONS		510		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						16296		
NORTHPORT	0001307	TUSCALOOSA	Acid	ADJ	07/51	19068		1.0
SAND SPRINGS	0001430	TUSCALOOSA		CONS		1845		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						20913		
ODENVILLE	0001203	ST. CLAIR	Acid	ADJ	04/88	9000		1.0
MARGARET	0001199	ST. CLAIR		CONS		660		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						9660		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
ONEONTA	0000103	BLOUNT	Acid	ADJ	02/62	10500		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10500		
OPELIKA	0000816	LEE	Acid	ADJ	07/58	27000		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						27000		
ORANGE BEACH	0000053	BALDWIN	Acid	ADJ	02/83	6150		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6150		
ORRVILLE	0000484	DALLAS			NATL	221	1.1	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						221		
OXFORD	0000162	CALHOUN	Acid	ADJ	07/60	13761		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						13761		
OZARK	0000441	DALE	Acid	ADJ	08/60	17604		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						17604		
PELHAM	0001163	SHELBY	Acid	ADJ	08/90	14895		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						14895		
PELL CITY	0001204	ST. CLAIR	Acid	ADJ	12/80	12147		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						12147		
PERDIDO BAY	0001490	BALDWIN	Acid	ADJ	06/82	2700		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2700		
PHENIX CITY	0001142	RUSSELL	Acid	ADJ	02/75	27600		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						27600		
PIEDMONT	0000164	CLAHOUN	Acid	ADJ	03/85	7800		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7800		
PINE APPLE	0001391	WILCOX			NATL	426	1.9	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						426		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
PINE HILL	0001393	WILCOX	Acid	ADJ	10/82	1650		1.0
THOMASVILLE	0000262	CLARKE		CONS		5706		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7356		
PRATTVILLE	0000017	AUTAUGA	Acid	ADJ	01/81	22950		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						22950		
PRICHARD	0001015	MOBILE	Acid	ADJ	04/83	42000		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						42000		
RAMER	0001074	MONTGOMERY		NATL		1467	1.4	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1467		
RED BAY	0000607	FRANKLIN	Acid	ADJ	05/88	4491		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4491		
REDSTONE ARSENAL	0000899	MADISON	Acid	ADJ	06/57	26636		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						26636		
ROANOKE	0001127	RANDOLPH	Acid	ADJ	10/87	6879		1.0
RANDOLPH COUNTY	0001537	RANDOLPH		CONS		1110		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7989		
RUSSELLVILLE	0000610	FRANKLIN	Acid	ADJ	10/67	10770		1.0
FRANKLIN COUNTY	0001500	FRANKLIN		CONS		1200		
ISBELL	0000605	FRANKLIN		CONS		960		
ROCKWOOD	0000609	FRANKLIN		CONS		210		
WACO	0000613	FRANKLIN		CONS		747		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						13887		
SARALAND	0001021	MOBILE	Acid	ADJ	04/88	11760		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11760		
SCOTTSBORO	0000729	JACKSON	Acid	ADJ	07/61	18000		1.0
CUMBERLAND MT.	0000717	JACKSON		CONS		2802		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						20802		
SECTION-DUTTON	0000728	JACKSON	Acid	ADJ	04/65	20550		1.0
NORTH JACKSON	0000723	JACKSON		CONS		3909		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						24459		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
SELLERS STATION	0001077	MONTGOMERY			NATL	1500	2.2	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1500		
SELMA	0000490	DALLAS	Acid	ADJ	11/79	27900		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						27900		
SHEFFIELD	0000327	COLBERT	Acid	ADJ	12/52	14733		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						14733		
SILVERHILL	0000065	BALDWIN	Acid	ADJ	07/84	1035		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1035		
SMITHS	0000820	LEE	Acid	ADJ	03/89	13527		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						13527		
SOUTHSIDE	0000591	ETOWAH	Acid	ADJ	02/84	6300		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6300		
STARMONT SUBDIVISION	0000916	MARENGO			NATL	147	1.3	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						147		
SUMMERDALE	0000073	BALDWIN	Acid	ADJ	02/83	792		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						792		
SYLACAUGA	0001258	TALLADEGA	Acid	ADJ	11/82	23100		1.0
FAYETTEVILLE	0001236	TALLADEGA			CONS	2268		
STEWARTVILLE	0000354	COOSA			CONS	3138		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						28506		
TALLADEGA	0001260	TALLADEGA	Acid	ADJ	02/79	17400		1.0
WALDO	0001250	TALLADEGA			CONS	285		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						17685		
TALLASSEE	0000548	ELMORE	Acid	ADJ	02/67	6522		1.0
ECLECTIC	0000533	ELMORE			CONS	2911		
FRIENDSHIP	0000537	ELMORE			CONS	2268		
WALL STREET	0001288	TALLAPOOSA			CONS	4242		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						15943		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
TAYLOR	0000702	HOUSTON	Acid	ADJ	08/91	3111		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3111		
THOMASTON	0000919	MARENGO		NATL		799	0.7	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						799		
TRI-COMMUNITY	0000549	ELMORE	Acid	ADJ	09/86	6225		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6225		
TROY	0001124	PIKE	Acid	ADJ	05/74	14722		1.0
PIKE COUNTY	0001120	PIKE		CONS		5700		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						20422		
TRUSSVILLE	0000761	JEFFERSON	Acid	ADJ	02/82	16251		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						16251		
TUSCALOOSA	0001313	TUSCALOOSA	Acid	ADJ	07/51	103161		1.0
CARROLL'S CREEK	0001540	TUSCALOOSA		CONS		5898		
COALING	0001298	TUSCALOOSA		CONS		1980		
ENGLEWOOD HULL	0001301	TUSCALOOSA		CONS		2355		
FOSTERS-RALPH	0001302	TUSCALOOSA		CONS		1422		
MITCHELL	0001306	TUSCALOOSA		CONS		5265		
PETERSON	0001390	TUSCALOOSA		CONS		1350		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						121431		
TUSCUMBIA	0000331	COLBERT	Acid	ADJ	06/63	11799		1.0
LITTLEVILLE	0000320	COLBERT		CONS		2575		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						14374		
TUSKEGEE	0000870	MACON	Acid	ADJ	02/67	14289		1.0
NOTASULGA	0000862	MACON		CONS		2112		
STAR-MINDINGALL	0000865	MACON		CONS		1365		
TUSKEGEE UNIVERSITY	0000869	MACON		CONS		4500		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						22266		
UPPER BEAR CREEK	0000927	MARION	Acid	ADJ	06/80	32		1.0
BEAR CREEK	0000920	FRANKLIN		CONS		2160		
HACKELBURG	0000925	MARIION		CONS		1110		
DOUBLE SPRINGS	0001410	WINSTON		CONS		2016		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,  
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

**ALABAMA**

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
HALEYVILLE	0001411	WINSTON		CONS		8775		
PHIL CAMPBELL	0000606	FRANKLIN		CONS		3594		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						17687		
VERNON	0000773	LAMAR	Acid	ADJ	02/81	4350		1.0
LAMAR COUNTY	0000771	LAMAR		CONS		2508		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6858		
WARRIOR RIVER AUTHORITY	0000763	JEFFERSON	Acid	ADJ	06/82	11269		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11269		
WEST POINT PEPPERELL	0000184	CHAMBERS	NaSiF6	ADJ	10/58	32		1.0
EAST ALABAMA	0000174	CHAMBERS		CONS		19723		
HUGULEY	0000177	CHAMBERS		CONS		5769		
LANETT	0000179	CHAMBERS		CONS		8637		
LEE-CHAMBERS	0000180	CHAMBERS		CONS		7350		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						41511		
WILCOX COUNTY	0001371	WILCOX			NATL	2880	1.4	
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2880		
WINFIELD	0000930	MARION	Acid	ADJ	12/72	6600		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6600		
YORK	0001223	SUMTER	Acid	ADJ	01/59	4200		1.0
CUBA	0001217	SUMTER		CONS		450		
SUMTER COUNTY	0001222	SUMTER		CONS		8865		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						13515		