



Fluoridation Census

SEPTEMBER – 1993

U.S. DEPARTMENT OF HEALTH & HUMAN SERVICES
Public Health Service
Centers for Disease Control and Prevention
National Center for Prevention Services
Division of Oral Health
Atlanta, Georgia 30333

STATE SUMMARY DATA AS OF 12/31/92

TENNESSEE

SYSTEM SIZE CLASSIFICATION

	FLUORIDATED SYSTEMS		PUBLIC WATER SYSTEMS	
	NUMBER OF SYSTEMS	TOTAL POPULATION	NUMBER OF SYSTEMS	TOTAL POPULATION
=<1,000	44	26,979	175	67,000
1,001-5,000	163	401,779	219	537,000
5,001-10,000	73	522,916	79	579,000
10,001-50,000	66	1,417,948	66	1,438,000
50,001-100,000	4	268,300	5	315,000
>100,000	4	1,629,467	4	1,704,000
TOTAL	354	4,267,389	548	4,640,000

FLUORIDATED SYSTEM CLASSIFICATION

	NUMBER	POPULATION	PERCENTAGE (POP.)
ADJUSTED	218	3,843,986	90.1
CONSECUTIVE	136	423,403	9.9
NATURAL	0	0	0.0
TOTAL	354	4,267,389	

SCHOOLS, INDIAN AND MILITARY SYSTEMS

	ADJUSTED		NATURAL	
	NUMBER	POP.	NUMBER	POP.
TOTAL SCHOOLS	0	0	0	0
INDIAN SYSTEMS	0	0	0	0
INDIAN SCHOOLS	0	0	0	0
MILITARY SYSTEMS	3	61,119	0	0

CHEMICAL USAGE OF FLUORIDATING SYSTEMS

	NUMBER	POPULATION
SODIUM FLUORIDE	64	213,229
SODIUM SILICOFLUORIDE	210	2,331,175
HYDROFLUOSILICIC ACID	77	1,688,034

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
1ST UD OF HAWKINS CO. #1	0000109	HAWKINS	NaSiF6	ADJ	01/86	7007		1.0
NEW CANTON UD	0000761	HAWKINS		CONS		286		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7293		
1ST UD OF HAWKINS CO. 2	0000855	HAWKINS	NaF	ADJ	01/86	6578		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6578		
2ND SOUTH CHEATHAM UD	0000645	CHEATHAM	Acid	ADJ	08/72	4584		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4584		
ADAMSVILLE	0000002	MCNAIRY	NaF	ADJ	12/80	5271		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5271		
ALAMO	0000005	CROCKETT	NaF	ADJ	02/83	3174		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3174		
ALCOA	0000007	BLOUNT	Acid	ADJ	05/64	20378		1.0
FRIENDSVILLE UD	0000249	BLOUNT		CONS		1883		
SOUTH BLOUNT UD	0000643	BLOUNT		CONS		16410		
TUCKALEECHIE UD	0000714	BLOUNT		CONS		4604		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						43275		
ANDERSON CO U.B.	0000768	ANDERSON	Acid	ADJ	02/89	2970		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2970		
ARLINGTON	0000019	SHELBY	Acid	ADJ	07/68	1182		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1182		
ARNOLD VILLAGE WS	0000830	COFFEE	Acid	ADJ	00/00	119		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						119		
ARTHUR-SHAWNEE UTIL DIST	0000022	CLAIBORNE	Acid	ADJ	09/83	4324		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4324		
ASHLAND CITY	0000023	CHEATHAM	Acid	ADJ	03/82	3689		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3689		
ATHENS	0000024	MCMINN	Acid	ADJ	09/65	14862		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						14862		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
ATWOOD	0000035	CARROLL	Acid	ADJ	12/86	1149		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1149		
BARTLETT	0000765	SHELBY	NaSiF6	ADJ	08/61	29929		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						29929		
BEDFORD CO UTIL DIST	0000577	BEDFORD	NaSiF6	ADJ	10/84	5656		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5656		
BELLS	0000045	CROCKETT	NaF	ADJ	04/80	1599		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1599		
BIG CREEK UD	0000122	GRUNDY	NaSiF6	ADJ	10/87	6149		1.0
GRIFFITH CREEK UD	0000278	MARION		CONS		1084		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7233		
BLOOMINGDALE	0000056	SULLIVAN	NaSiF6	ADJ	03/74	11550		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11550		
BOLIVAR	0000063	HARDEMAN	NaSiF6	ADJ	03/66	7959		1.0
HORNSBY	0000312	HARDEMAN		CONS		1050		
SPRING CREEK UD	0000664	HARDEMAN		CONS		1713		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10722		
BON AQUA-LYLES UD	0000066	HICKMAN	NaF	ADJ	07/86	4630		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4630		
BRADFORD	0000067	GIBSON	NaF	ADJ	06/81	1202		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1202		
BRIGHTON	0000070	TIPTON	NaF	ADJ	07/81	1094		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1094		
BRISTOL	0000073	SULLIVAN	Acid	ADJ	07/52	26125		1.0
BLOUNTVILLE	0000057	SULLIVAN		CONS		8250		
ELEVEN - W UD	0000059	SULLIVAN		CONS		1106		
HOLSTON UD	0000074	SULLIVAN		CONS		1829		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
SOUTH BRISTOL-WEAVER PIKE UD	0000644	SULLIVAN		CONS		4551		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						41861		
BROWNSVILLE	0000080	HAYWOOD	NaSiF6	ADJ	05/51	14005		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						14005		
BRUCETON	0000081	CARROLL	NaSiF6	ADJ	04/88	1750		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1750		
BYRDSTOWN	0000088	PICKETT	NaF	ADJ	10/81	3646		1.0
CHANUTE-PALL MALL UD	0000875	FENTRESS		CONS		697		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4343		
CAMDEN	0000090	BENTON	NaSiF6	ADJ	08/65	8369		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8369		
CARTHAGE	0000095	SMITH	NaSiF6	ADJ	08/77	2710		1.0
CORDELL HULL UD	0000096	SMITH		CONS		1300		
TWENTY FIVE UD	0000718	SMITH		CONS		1198		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5208		
CARYVILLE-JACKSBORO UD	0000322	CAMPBELL	NaF	ADJ	04/86	7035		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7035		
CELINA	0000099	CLAY	NaSiF6	ADJ	08/73	3035		1.0
FREE HILL UD	0000100	CLAY		CONS		279		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3314		
CENTERVILLE	0000103	HICKMAN	NaSiF6	ADJ	03/82	6248		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6248		
CHAPEL HILL	0000104	MARSHALL	NaF	ADJ	10/87	993		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						993		
CLAIBORNE CO UD	0000113	CLAIBORNE	Acid	ADJ	06/62	8811		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8811		
CLARKSVILLE	0000116	MONTGOMERY	NaSiF6	ADJ	03/60	76254		1.0

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
CUMBERLAND HEIGHTS UD	0000166	MONTGOMERY		CONS		2638		
WOODLAWN UD	0000758	MONTGOMERY		CONS		4868		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						83760		
CLEVELAND	0000117	BRADLEY	NaSiF6	ADJ	03/52	20792		1.0
PROSPECT MCDONALD UD	0000564	BRADLEY		CONS		8547		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						29339		
CLIFTON	0000119	WAYNE	NaF	ADJ	07/66	981		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						981		
CLINTON	0000120	ANDERSON	Acid	ADJ	01/57	13581		1.0
ANDERSONVILLE UD	0000016	ANDERSON		CONS		2892		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						16473		
COLLIERVILLE	0000126	SHELBY	NaF	ADJ	02/74	14575		1.0
PIPERTON	0000842	FAYETTE		CONS		694		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						15269		
COLLINWOOD	0000127	WAYNE	NaF	ADJ	08/86	1803		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1803		
COLUMBIA	0000128	MAURY	NaSiF6	ADJ	06/60	38920		1.0
MAURY CO WATER SYSTEM	0000770	MAURY		CONS		7464		
SPRING HILL WD	0000667	MAURY		CONS		1279		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						47663		
CONSOLIDATED UTIL DIST	0000792	RUTHERFORD	NaSiF6	ADJ	06/83	41964		1.0
EAGLESVILLE	0000216	RUTHERFORD		CONS		626		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						42590		
COOKEVILLE	0000133	PUTNAM	Acid	ADJ	12/52	26805		1.0
ALGOOD WS	0000009	PUTNAM		CONS		3917		
BANGHAM UD	0000038	PUTNAM		CONS		4108		
BAXTER WD	0000040	PUTNAM		CONS		3554		
SMITH UD #2	0000847	SMITH		CONS		138		
COOKEVILLE BOAT DOCK ROAD UD	0000134	PUTNAM		CONS		3524		
DOUBLE SPRINGS UD	0000192	PUTNAM		CONS		3114		
DRY VALLEY UD	0000202	PUTNAM		CONS		1537		
OLD GAINESBORO RD. UD	0000135	PUTNAM		CONS		3201		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						49898		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
COPPER BASIN UD	0000844	POLK	NaF	ADJ	07/84	1431		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1431		
COVINGTON	0000144	TIPTON	NaSiF6	ADJ	01/57	9275		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						9275		
COWAN	0000146	FRANKLIN	NaSiF6	ADJ	01/53	2092		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2092		
CROSSVILLE	0000150	CUMBERLAND	NaSiF6	ADJ	03/53	14400		1.0
CATOOSA UD	0000158	CUMBERLAND		CONS		3580		
CRAB ORCHARD UD	0000147	CUMBERLAND		CONS		8670		
GRANDVIEW UD	0000863	RHEA		CONS		1012		
LANTANA UD	1000000	CUMBERLAND		CONS		4738		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						32400		
CUMBERLAND UD	0000531	ROANE	Acid	ADJ	03/89	8178		1.0
SUNBRIGHT UD	0000681	MORGAN		CONS		2511		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10689		
CUMBERLAND UTIL DIST	0000297	DAVIDSON	NaSiF6	ADJ	06/66	22320		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						22320		
CUNNINGHAM UD	0000167	MONTGOMERY	NaSiF6	ADJ	01/91	6199		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6199		
DAISY-SODDY-FALLING WATER UD	0000169	HAMILTON	Acid	ADJ	03/86	8163		1.0
MOWBRAY MTN. UD	0000168	HAMILTON		CONS		1173		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						9336		
DANDRIDGE	0000170	JEFFERSON	NaF	ADJ	10/75	2514		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2514		
DAYTON	0000174	RHEA	NaSiF6	ADJ	09/73	9605		1.0
EVENSVILLE UD	0000235	RHEA		CONS		1639		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11244		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
DECATUR	0000183	MEIGS	NaF	ADJ	09/67	1906		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1906		
DECHERD	0000187	FRANKLIN	Acid	ADJ	01/58	3372		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3372		
DICKSON	0000191	DICKSON	NaSiF6	ADJ	01/67	9690		1.0
SYLVIA-TENN CITY-POND UTILITY	0000691	DICKSON		CONS		2653		
WEST PINEY UD	0000739	DICKSON		CONS		855		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						13198		
DIXIE LEE UD	0000397	LOUDON	Acid	ADJ	07/77	6930		1.0
MARTEL UD	0000434	LOUDON		CONS		1920		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8850		
DOVER	0000193	STEWART	NaSiF6	ADJ	11/79	2079		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2079		
DOWELLTOWN-LIBERTY UD	0000403	DE KALB	NaF	ADJ	04/80	952		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						952		
DRESDEN	0000196	WEAKLEY	NaSiF6	ADJ	06/55	3377		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3377		
DUNLAP	0000205	SEQUATCHIE	NaSiF6	ADJ	12/66	3968		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3968		
DYER	0000209	GIBSON	NaSiF6	ADJ	09/79	2986		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2986		
DYERSBURG	0000211	DYER	NaSiF6	ADJ	03/57	17300		1.0
EAST DYERSBURG UD	0000213	DYER		CONS		1134		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						18434		
EAST MONTGOMERY UD	0000218	CHEATHAM	NaSiF6	ADJ	01/99	7472		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7472		
EASTSIDE UD	0000219	HAMILTON	Acid	ADJ	01/91	28862		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						28862		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
ELBRIDGE	0000220	OBION	NaF	ADJ	09/85	2824		1.0
HORNBEAK UD	0000311	OBRIAN		CONS		1255		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4079		
ELIZABETHTON	0000221	CARTER	NaF	ADJ	06/66	26248		1.0
NO. ELIZABETHTON WATER CO	0000223	CARTER		CONS		996		
SIAM UD	0000633	CARTER		CONS		2139		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						29383		
ENGLEWOOD	0000224	MCMINN	NaSiF6	ADJ	07/81	2576		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2576		
ERIN	0000230	HOUSTON	NaSiF6	ADJ	11/67	2481		1.0
CUMBERLAND CITY WS	0000162	STEWART		CONS		368		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2849		
ERIN SPRING SYSTEM	0000839	HOUSTON	NaF	ADJ	10/85	920		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						920		
ERWIN	0000231	UNICOI	NaSiF6	ADJ	03/61	10776		1.0
TEMPLE HILL UD	0000229	UNICOI		CONS		1110		
UNICOI UD	0000719	UNICOI		CONS		2946		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						14832		
ESTILL SPRINGS	0000232	FRANKLIN	NaF	ADJ	10/77	3154		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3154		
ETOWAH	0000233	MCMINN	NaSiF6	ADJ	06/66	8339		1.0
HIWASSEE COOP	0000049	POLK		CONS		738		
CHARLESTON-CALHOUN UD	0000106	MCMINN		CONS		1483		
NIOTA	0000510	MCMINN		CONS		1742		
RICEVILLE	0000576	MCMINN		CONS		787		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						13089		
FAIRVIEW	0000236	WILLIAMSON	NaF	ADJ	06/88	4326		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4326		
FAYETTEVILLE	0000242	LINCOLN	NaSiF6	ADJ	06/57	10302		1.0

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
MULBERRY UD	0000489	LINCOLN		CONS		550		
PETERSBURG WATER SYSTEM	0000544	MARSHALL		CONS		772		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11624		
FIRST UD-KNOX CO	0000369	KNOX	Acid	ADJ	00/00	41760		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						41760		
FORT CAMPBELL WD	0000820	MONTGOMERY	NaSiF6	ADJ		43000		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						43000		
FRANKLIN	0000246	WILLIAMSON	NaSiF6	ADJ	05/63	27743		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						27743		
GAINESBORO	0000251	JACKSON	NaSiF6	ADJ	12/74	1487		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1487		
GALLATIN	0000253	SUMNER	NaSiF6	ADJ	12/57	21797		1.0
CASTALIAN SPRINGS-BETHPAGE UD	0000097	SUMNER		CONS		5030		
WESTMORELAND	0000738	SUMNER		CONS		2493		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						29320		
GALLAWAY	0000254	FAYETTE	NaF	ADJ	10/83	750		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						750		
GATES	0000255	LAUDERDALE	NaF	ADJ	02/89	861		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						861		
GATLINBURG	0000256	SEVIER	NaSiF6	ADJ	08/81	7461		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7461		
GERMANTOWN	0000262	SHELBY	NaSiF6	ADJ	04/52	27560		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						27560		
GLADEVILLE UD	0000264	WILSON	NaSiF6	ADJ	06/11	8836		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8836		
GLEASON	0000265	WEAKLEY	NaF	ADJ	09/73	1446		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1446		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
GREENEVILLE	0000273	GREENE	NaSiF6	ADJ	03/58	23363		1.0
CHUCKEY UD	0000108	GREENE		CONS		5661		
CROSS ANCHOR UD	0000149	GREENE		CONS		4557		
GLEN HILLS UD	0000266	GREENE		CONS		7728		
MOSHEIM	0000478	GREENE		CONS		1449		
OLD KNOXVILLE HWY UD	0000530	GREENE		CONS		4488		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						47246		
GREENFIELD	0000276	WEAKLEY	NaF	ADJ	01/77	2538		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2538		
HALLS WS	0000279	LAUDERDALE	NaSiF6	ADJ	08/73	5528		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5528		
HALLSDALE POWELL UTIL DIST	0000280	KNOX	Acid	ADJ	06/82	37459		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						37459		
HARPETH VALLEY UD	0000286	DAVIDSON	NaSiF6	ADJ	11/68	20885		1.0
BRENTWOOD WATER DEPT	0000069	WILLIAMSON		CONS		14593		
H.B. & T.S. UTILITY DISTRICT	0000699	WILLIAMSON		CONS		8633		
MALLORY WALLEY UTILITY DIST	0000428	WILLIAMSON		CONS		3753		
MILCROFTON UTILITY DISTRICT	0000247	WILLIAMSON		CONS		4620		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						52484		
HARRIMAN UD	0000287	ROANE	NaSiF6	ADJ	02/60	8281		1.0
SWAN POND UD %JAMES RYANS	0000686	ROANE		CONS		521		
WOLFE BRANCH UD	0000755	MORGAN		CONS		2014		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10816		
HARTSVILLE	0000291	TROUSDALE	NaSiF6	ADJ	11/56	5632		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5632		
HENDERSON	0000293	CHESTER	NaSiF6	ADJ	11/67	5499		1.0
PINSON UD	0000556	MADISON		CONS		1242		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6741		
HENDERSONVILLE UD	0000294	SUMNER	NaSiF6	ADJ	05/66	30797		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						30797		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
HIXSON UD	0000303	HAMILTON	Acid	ADJ	03/59	48368		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						48368		
HOHENWALD	0000304	LEWIS	NaF	ADJ	07/66	5934		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5934		
HUMBOLDT	0000314	GIBSON	NaSiF6	ADJ	06/63	11380		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11380		
HUNTINGDON	0000316	CARROLL	NaSiF6	ADJ	04/75	5054		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5054		
HUNTLAND	0000317	FRANKLIN	NaF	ADJ	06/81	1243		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1243		
JACKSON	0000299	MADISON	Acid	ADJ	11/62	60966		1.0
BEECH BLUFF UTILITY	0000043	MADISON		CONS		3149		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						64115		
JAMESTOWN	0000324	FENTRESS	Acid	ADJ	09/74	3168		1.0
ALLARDT WW	0000010	FENTRESS		CONS		1689		
FENTRESS COUNTY UD	0000244	FENTRESS		CONS		6072		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10929		
JASPER	0000325	MARION	NaSiF6	ADJ	03/67	7046		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7046		
JEFFERSON CITY	0000328	JEFFERSON	NaSiF6	ADJ	12/66	7868		1.0
NEW MARKET UD	0000499	JEFFERSON		CONS		3088		
SHADY GROVE UD	0000626	JEFFERSON		CONS		5620		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						16576		
JELlico	0000330	CAMPBELL	NaSiF6	ADJ	07/70	3548		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3548		
JOHNSON CITY	0000331	WASHINGTON	Acid	ADJ	08/61	60025		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						60025		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
JONESBORO	0000338	WASHINGTON	Acid	ADJ	04/86	14700		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						14700		
KENTON	0000347	OBION	NaF	ADJ	11/84	1647		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1647		
KINGSPORT	0000349	SULLIVAN	NaSiF6	ADJ	06/55	71055		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						71055		
KINGSTON	0000360	ROANE	NaF	ADJ	11/83	6782		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6782		
KNOX CHAPMAN WS	0000367	KNOX	NaSiF6	ADJ	04/82	17690		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						17690		
KNOXVILLE UTIL BD	0000366	KNOX	Acid	ADJ	01/74	167265		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						167265		
KNOXVILLE UTIL BD #3	0000892	KNOX	Acid	ADJ	06/92	3608		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3608		
LA VERGNE WATER SYSTEM	0000386	RUTHERFORD	NaSiF6	ADJ	09/99	11000		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11000		
LAFAYETTE WS	0000373	MACON	NaSiF6	ADJ	10/83	7220		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7220		
LAFOLLETTE	0000374	CAMPBELL	Acid	ADJ	08/57	17280		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						17280		
LAUDERDALE CTY-WIDE WS	0000581	LAUDERDALE	NaSiF6	ADJ	09/73	9372		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						9372		
LAWRENCEBURG	0000392	LAWRENCE	NaSiF6	ADJ	02/53	13395		1.0
ETHRIDGE UD	0000677	LAWRENCE		CONS		1391		
FALL RIVER RD UD	0000239	LAWRENCE		CONS		1274		
NEW PROSPECT UTILITY DISTRICT	0000391	LAWRENCE		CONS		1310		
NORTHEAST LAWRENCE UD	0000389	LAWRENCE		CONS		821		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						18191		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
LEBANON	0000393	WILSON	NaSiF6	ADJ	03/56	19946		1.0
LAGUARDO UD	0000394	WILSON		CONS		3633		
WILSON CO WATER & WASTEWATER	0000790	WILSON		CONS		6174		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						29753		
LENOIR CITY	0000396	LOUDON	NaSiF6	ADJ	06/77	7717		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7717		
LEOMA	0000399	LAWRENCE	NaF	ADJ	05/86	1258		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1258		
LEWISBURG	0000400	MARSHALL	NaSiF6	ADJ	07/54	12174		1.0
CORNERSVILLE WD	0000139	MARSHALL		CONS		982		
MARSHALL CO BD P.U. #1	0000105	MARSHALL		CONS		2325		
MARSHALL CO BD P.U. #2	0000857	MARSHALL		CONS		310		
MARSHALL CO BD P.U. #3	0000858	MARSHALL		CONS		463		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						16254		
LEXINGTON	0000402	HENDERSON	NaSiF6	ADJ	01/69	15179		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						15179		
LINCOLN CO BD PUB UTIL	0000764	LINCOLN	NaF	ADJ	04/79	10357		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10357		
LINDEN	0000404	PERRY	NaSiF6	ADJ	10/55	2461		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2461		
LIVINGSTON	0000405	OVERTON	NaSiF6	ADJ	09/63	9975		1.0
NORTH OVERTON UD	0000013	OVERTON		CONS		2157		
WEST OVERTON UD	0000578	OVERTON		CONS		3152		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						15284		
LOBELVILLE	0000406	PERRY	NaF	ADJ	05/74	1216		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1216		
LORETTO	0000408	LAWRENCE	NaF	ADJ	05/68	2350		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2350		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
LOUDON	0000409	LOUDON	NaSiF6	ADJ	05/77	6416		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6416		
LYNCHBURG	0000416	MOORE	NaF	ADJ	09/67	1286		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1286		
MADISON SUB UD	0000424	DAVIDSON	NaSiF6	ADJ	11/67	38700		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						38700		
MARTIN	0000435	WEAKLEY	NaSiF6	ADJ	06/67	11702		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11702		
MARYVILLE	0000438	BLOUNT	NaSiF6	ADJ	11/58	27902		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						27902		
MASON	0000440	TIPTON	NaF	ADJ	07/78	1665		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1665		
MAURY CITY	0000441	CROCKETT	NaF	ADJ	02/82	1055		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1055		
MCEWEN	0000420	HUMPHREYS	NaF	ADJ	02/87	1945		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1945		
MCKENZIE	0000421	CARROLL	NaSiF6	ADJ	02/72	5487		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5487		
MCMINNVILLE	0000423	WARREN	NaSiF6	ADJ	06/62	14613		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						14613		
MEDINA	0000445	GIBSON	NaF	ADJ	11/76	1130		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1130		
MEMPHIS	0000450	SHELBY	Acid	ADJ	02/70	622735		1.0
SHELBY CO BD P.U.	0000773	SHELBY		CONS		42150		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						664885		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
MEMPHIS NAS	0000468	SHELBY	Acid	ADJ	00/00	18000		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						18000		
METRO NASHVILLE WD	0000494	DAVIDSON	NaSiF6	ADJ	12/53	690000		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						690000		
MILAN	0000458	GIBSON	NaSiF6	ADJ	03/51	10644		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10644		
MILLINGTON	0000463	SHELBY	NaSiF6	ADJ	01/57	7155		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7155		
MONTEAGLE PUD	0000470	GRUNDY	NaSiF6	ADJ	10/80	2108		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2108		
MONTEREY	0000471	PUTNAM	NaSiF6	ADJ	04/78	3479		1.0
EAST FORK UD	0000853	OVERTON		CONS		1539		
STANDING STONE UD	0000862	PUTNAM		CONS		400		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5418		
MORRISTOWN	0000474	HAMBLLEN	Acid	ADJ	01/76	27689		1.0
BEAN STATION	0000041	GRAINGER		CONS		3337		
BULL'S GAP UD	0000082	HAWKINS		CONS		1075		
RUSSELLVILLE-WHITESBURG UD	0000598	HAMBLLEN		CONS		9830		
RUTLEDGE	0000600	GRAINGER		CONS		1156		
SOUTH MORRISTOWN-WITT UD	0000650	HAMBLLEN		CONS		2084		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						45171		
MOUNT PLEASANT	0000488	MAURY	NaSiF6	ADJ	12/62	5905		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5905		
MUNFORD	0000490	TIPTON	NaF	ADJ	10/82	4320		1.0
ATAKA	0000033	TIPTON		CONS		1341		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5661		
MURFREESBORO	0000491	RUTHERFORD	NaSiF6	ADJ	05/54	44922		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						44922		
NEW JOHNSONVILLE	0000497	HUMPHREYS	NaSiF6	ADJ	07/66	1587		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1587		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
NEWBERN	0000496	DYER	NaSiF6	ADJ	06/86	7030		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7030		
NEWPORT	0000500	COCKE	NaSiF6	ADJ	01/65	16346		1.0
WEBB CREEK UD	0000261	SEVIER		CONS		844		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						17190		
NOLENSVILLE UD	0000511	WILLIAMSON	NaF	ADJ	06/80	5393		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5393		
NORRIS	0000573	ANDERSON	Acid	ADJ	07/69	1957		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1957		
NORTH STEWART UD	0000195	STEWART	NaF	ADJ	06/99	3087		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3087		
NORTHEAST KNOX UD	0000515	KNOX	Acid	ADJ	08/80	11482		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11482		
OAK RIDGE	0000522	ANDERSON	NaSiF6	ADJ	06/53	29700		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						29700		
OLD HICKORY UD	0000527	DAVIDSON	NaSiF6	ADJ	08/64	3422		1.0
LAKEWOOD WATER DEPT	0000528	DAVIDSON		CONS		2009		
RAYON CITY WATER CO	0000529	DAVIDSON		CONS		1290		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6721		
OLIVER SPRINGS	0000523	ROANE	Acid	ADJ	01/86	5392		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5392		
ONEIDA	0000532	SCOTT	Acid	ADJ	02/83	7373		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						7373		
PARIS	0000536	HENRY	NaSiF6	ADJ	10/52	11495		1.0
N.W. HENRY CO UD	0000838	HENRY		CONS		1235		
SOUTH PARIS WATER CO OP	0000537	HENRY		CONS		1380		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						14110		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
PARSONS	0000541	DECATUR	NaSiF6	ADJ	04/65	3511		1.0
NORTH UD - DECATUR CO	0000883	DECATUR		CONS		755		
PERRYVILLE UD	0000543	DECATUR		CONS		1452		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5718		
PIGEON FORGE	0000548	SEVIER	NaSiF6	ADJ	08/65	5206		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5206		
PIKEVILLE	0000551	BLED SOE	Acid	ADJ	05/87	2730		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2730		
PORTLAND	0000559	SUMNER	NaSiF6	ADJ	08/65	8867		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8867		
PULASKI	0000562	GILES	NaSiF6	ADJ	11/68	9180		1.0
FAIRVIEW UD	0000563	GILES		CONS		941		
LYNNVILLE WATER DEPT	0000419	GILES		CONS		588		
MINOR HILL UTILITY CORPORATION	0000469	GILES		CONS		2907		
TARPLEY SHOP UD	0000566	GILES		CONS		1820		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						15436		
PURYEAR	0000568	HENRY	NaF	ADJ	12/82	847		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						847		
REELFOOT UD	0000575	LAKE	Acid	ADJ	10/91	710		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						710		
RIDGELY	0000579	LAKE	NaSiF6	ADJ	04/62	2300		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2300		
RIPLEY	0000580	LAUDERDALE	NaSiF6	ADJ	09/56	8366		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8366		
ROCKWOOD	0000590	ROANE	Acid	ADJ	09/59	7387		1.0
MIDTOWN UTILITY DISTRICT	0000457	ROANE		CONS		3188		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10575		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
ROGERSVILLE	0000593	HAWKINS	NaSiF6	ADJ	01/66	6578		1.0
LAKEVIEW UD	0000596	HAWKINS		CONS		1501		
PERSIA UD	0000594	HAWKINS		CONS		2408		
STRIGGERSVILL UD	0000673	HAWKINS		CONS		643		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11130		
SALE CREEK UD	0000605	HAMILTON	Acid	ADJ	05/87	1143		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1143		
SAVANNAH	0000611	HARDIN	NaSiF6	ADJ	12/69	13885		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						13885		
SAVANNAH VALLEY UD	0000613	HAMILTON	NaF	ADJ	09/87	8401		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8401		
SELMER	0000615	MCAIRY	NaF	ADJ	11/73	13754		1.0
EASTVIEW UD	0000570	MCAIRY		CONS		1502		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						15256		
SEVIERVILLE	0000617	SEVIER	NaSiF6	ADJ	08/65	10449		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						10449		
SEWANEE UD	0000623	FRANKLIN	NaSiF6	ADJ	07/59	4492		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4492		
SHARON	0000627	WEAKLEY	NaF	ADJ	02/67	1365		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1365		
SHELBYVILLE	0000628	BEDFORD	NaSiF6	ADJ	02/55	17330		1.0
FLAT CREEK COOP	0000629	BEDFORD		CONS		1094		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						18424		
SMITH UD #1	0000636	SMITH	NaSiF6	ADJ	09/73	4253		1.0
ALEXANDRIA WS	0000008	DE KALB		CONS		1610		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5863		
SMITHVILLE	0000637	DE KALB	NaSiF6	ADJ	01/69	4986		1.0
DEKALB UD #1	0000188	DE KALB		CONS		4450		
DEKALB UD #2	0000833	DE KALB		CONS		1420		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
DEKALB UD #3	0000834	DE KALB		CONS		598		
DEKALB UD #4	0000835	DE KALB		CONS		295		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						11749		
SMYRNA	0000639	RUTHERFORD	NaSiF6	ADJ	03/64	14295		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						14295		
SOMERVILLE	0000641	FAYETTE	Acid	ADJ	00/00	4198		1.0
WILLISTON WATER SYSTEM	0000753	FAYETTE		CONS		687		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4885		
SOUTH FULTON	0000648	OBION	NaSiF6	ADJ	01/67	4307		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						4307		
SOUTH PITTSBURG	0000651	MARION	NaSiF6	ADJ	04/60	5403		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5403		
SPARTA	0000652	WHITE	NaSiF6	ADJ	01/58	8259		1.0
DEWHITE UD	0000190	WHITE		CONS		3492		
OCONNOR UD	0000526	WHITE		CONS		4826		
QUBECK WALLING UD #1	0000569	WHITE		CONS		2274		
QUBECK WALLING UD #2	0000852	WHITE		CONS		328		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						19179		
SPENCER	0000655	VAN BUREN	NaF	ADJ	09/74	3556		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3556		
SPRING CITY	0000656	RHEA	NaF	ADJ	08/89	2750		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2750		
SPRINGFIELD	0000666	ROBERTSON	NaSiF6	ADJ	07/54	21606		1.0
GREENBRIER WATER SYSTEM	0000271	ROBERTSON		CONS		3080		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						24686		
ST JOSEPH WS	0000604	LAWRENCE	NaF	ADJ	06/77	1179		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1179		
SUMMERTOWN UD	0000676	LAWRENCE	NaF	ADJ	12/80	1496		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1496		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
SWEETWATER	0000687	MONROE	NaSiF6	ADJ	04/70	8210		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						8210		
Taft Youth Center	0000553	BLEDSOE	NaSiF6	ADJ	/67	1000		1.0
Fall Creek Falls UD	0000552	VAN BUREN		CONS		1791		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2791		
TELLICO AREA SERVICES SYSTEM	0000726	MONROE	NaSiF6	ADJ	11/82	2015		1.0
Madisonville Water Dept	0000425	MONROE		CONS		6437		
Tellico Village	0000871	LOUDEN		CONS		1100		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						9552		
TELLICO PLAINS	0000693	MONROE	NaF	ADJ	12/83	3543		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3543		
Tennessee American WC	0000107	HAMILTON	Acid	ADJ	09/52	149467		1.0
FT OGLETHORPE, GA	0230179	CATOOSA, GA		CONS		0		
RINGOLD, GA	0230180	CATOOSA, GA		CONS		0		
ROSSVILLE, GA		WALKER, GA		CONS		0		
Signal Mountain Water System	0000634	HAMILTON		CONS		7336		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						156803		
TENNESSEE RIDGE	0000698	HOUSTON	NaF	ADJ	07/82	2437		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2437		
TIPTONVILLE	0000700	LAKE	NaSiF6	ADJ	04/82	2175		1.0
Proctor City UD	0000561	LAKE		CONS		357		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2532		
TRENTON	0000707	GIBSON	NaSiF6	ADJ	01/64	5101		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5101		
TREZEVANT	0000710	CARROLL	NaSiF6	ADJ	08/73	1178		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1178		
TRIMBLE	0000711	DYER	NaF	ADJ	04/86	831		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						831		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
TURNBULL UD	0000716	DICKSON	NaSiF6	ADJ	01/67	5865		1.0
WHITE BLUFF UD	0000744	DICKSON		CONS		4036		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						9901		
UNION CITY	0000720	OBION	NaSiF6	ADJ	05/53	15119		1.0
REELFOOT WATER ASSOC.	0000757	OBION		CONS		696		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						15815		
UNION FORK-BAKEWELL UD	0000037	HAMILTON	NaF	ADJ	04/82	2401		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						2401		
VAN LEER	0000724	DICKSON	NaSiF6	ADJ	12/86	1539		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1539		
WALDENS RIDGE UTIL DIST	0000635	HAMILTON	NaF	ADJ	07/81	5827		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5827		
WARREN CO UTIL DIST	0000818	OVERTON	NaSiF6	ADJ	04/84	12577		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						12577		
WATERTOWN	0000732	WILSON	NaF	ADJ	01/76	1632		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1632		
WAVERLY	0000733	HUMPHREYS	Acid	ADJ	09/59	5793		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5793		
WAYNESBORO	0000736	WAYNE	NaSiF6	ADJ	05/64	3586		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						3586		
WEST KNOX UD	0000371	KNOX	Acid	ADJ		31320		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						31320		
WEST WARREN-VIOLA UD	0000742	WARREN	NaSiF6	ADJ	05/86	6168		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						6168		
WEST WILSON UD	0000743	WILSON	NaSiF6	ADJ	09/67	25774		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						25774		

POPULATION SERVED FLUORIDATED DRINKING WATER BY SOURCE SYSTEM,
CONSECUTIVE SYSTEM, AND COUNTY WITHIN STATE (AS OF 12/31/92)

TENNESSEE

WATER SYSTEMS AND CONSECUTIVE SYSTEMS SERVED	EPA ID NO	COUNTY	CHEM USED	STATUS	FLUOR START DATE	POP SERVED	NATURAL SYSTEMS NAT LEVEL	OPT LEVEL
WHITEVILLE	0000748	HARDEMAN	NaF	ADJ	06/82	1467		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						1467		
WHITWELL	0000749	MARION	NaSiF6	ADJ	11/82	3386		1.0
WEST VALLEY WATER SYSTEM INC	0000750	MARION		CONS		1666		
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5052		
WINCHESTER	0000754	FRANKLIN	NaSiF6	ADJ	11/53	14597		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						14597		
WOODBURY	0000756	CANNON	NaSiF6	ADJ	06/54	5663		1.0
TOTAL POPULATION SERVED BY SOURCE WATER SYSTEM - - - - -						5663		