

---

**PRODUCT INFORMATION**

---



**Syngenta Crop Protection, Inc.**  
Greensboro, NC 27409  
[www.syngenta-us.com](http://www.syngenta-us.com)

**SUPPLEMENTAL LABEL FOR SCHOLAR®**

**FUNGICIDE**

**EPA Reg. No. 100-969**

For Control of Certain Post-Harvest Diseases of Kiwi, Pome Fruit, and Yam

Active Ingredient:	
Fludioxonil (CAS No. 131341-86-1) .....	50.0%
Other Ingredients:	50.0%
Total:	100.0%

**KEEP OUT OF REACH OF CHILDREN.**

**CAUTION**

**All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.**

**Before using Scholar as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

---

## CROP USE DIRECTIONS

---

### Kiwi

Use Scholar as a post-harvest dip or spray for the control of Botrytis fruit rot in kiwi.

Dip Application: Mix 8-16 oz. of Scholar in 100 gals. of an appropriate water, wax/oil emulsion, or aqueous dilution of wax/oil emulsion. Dip for approximately 30 seconds and allow fruit to drain.

Low Volume (Concentrate) Application: Mix 8-16 oz. of Scholar in 7-25 gals. of water, wax/emulsion, or aqueous dilution of wax/oil emulsion for the crop being treated. Apply to 200,000 lbs. of fruit.

Do not make more than one application to kiwi.

**NOTE:** Ensure the Scholar solution remains in suspension by using agitation. Scholar may be degraded by exposure to direct sunlight. Treated fruit should not be stored in direct sunlight.

**Pome Fruit: Apple (*Malus domestica*), Crabapple (*Malus spp.*), Loquat (*Eriobotrya japonica*), Mayhaw (*Crataegus aestivalis*, *C. opaca*, and *C. rufula*), Pear (*Pyrus communis*), Pear, oriental (*Pyrus pyrifolia*), Quince (*Cydonia oblonga*)**

Use Scholar as a post-harvest dip, drench, flood, or spray for the control of certain post-harvest diseases including blue mold caused by *Penicillium expansum*, gray mold caused by *Botrytis cinerea*, bull's-eye rot caused by *Pezizula malacorticis*, and rhizopus rot caused by *Rhizopus stolonifer*.

High Volume (Dilute) Application: Mix 8-16 oz. Scholar in 25-100 gals. of an appropriate water, wax/oil emulsion, or aqueous dilution of a wax/oil emulsion for the crop being treated. Use T-Jet, flooders, or similar application system.

Low Volume (Concentrate) Application: Mix 8-16 oz. of Scholar in 7-25 gals. of an appropriate water, wax/emulsion, or aqueous dilution of wax/oil emulsion for the crop being treated. Apply to 200,000 lbs. of fruit.

Dip Application: Mix 8-16 oz. of Scholar in 100 gals. of an appropriate water, wax/emulsion, or aqueous dilution of wax/oil emulsion. Dip for approximately 30 seconds and allow fruit to drain.

For maximum decay control, treat fruit once before storage and once after storage, just prior to marketing.

**NOTE:** Ensure the Scholar solution remains in suspension by using agitation. Scholar may be degraded by exposure to direct sunlight. Treated fruit should not be stored in direct sunlight.

## **Yam**

Use Scholar for the control of certain post-harvest rots caused by *Penicillium* and *Fusarium* species.

Post-Harvest Dip Application: Mix 8-16 oz. of Scholar in 100 gals. of an appropriate water, wax/emulsion, or aqueous dilution of wax/oil emulsion. Dip for approximately 30 seconds and allow tubers to drain.

Do not make more than one post-harvest application to the tubers.

**NOTE:** Ensure the Scholar solution remains in suspension by using agitation. Scholar may be degraded by exposure to direct sunlight. Treated tubers should not be stored in direct sunlight.

Trademark of Syngenta

©2005 Syngenta

Syngenta Crop Protection, Inc.  
Greensboro, North Carolina 27409  
[www.syngenta-us.com](http://www.syngenta-us.com)

SCP 969A-S1 0205

SCH 969A-S1 0205 – bb – 2-23-05